

BIOMASS FEEDSTOCK AVAILABILITY ANALYSIS FOR THE MARIPOSA BIOMASS PROJECT

**Prepared for:
Mariposa County Fire Safe Council**



**Prepared by:
TSS Consultants
Rancho Cordova, California**



August 26, 2015

ACKNOWLEDGMENTS

The authors wish to thank several individuals and organizations for their significant efforts in support of this project. These include, but are not limited to:

- Jay Johnson, Chief Executive Officer, Mariposa Biomass Project Group
- Steve Smallcombe, Member, Board of Directors, Mariposa Biomass Project Group
- Megan Atkinson, Executive Director, Mariposa County Fire Safe Council
- Rosemarie Smallcombe, Supervisor, Mariposa County
- Dave Horak, Timber Management Officer, Stanislaus National Forest
- Mike Nolen, Forester, Bass Lake Ranger District
- Tim Tate, Forester, Sierra Pacific Industries
- Brian Wayland, Forester, Sierra Pacific Industries
- Bill Haigh, Field Manager, Bureau of Land Management, Mother Lode District
- Matt Brown, Senior Land Consultant, PG&E
- Corey Peters, Vegetation Program Manger, Central Valley Region, PG&E
- David Carruth, Contract Program Manager, Central Valley Region, PG&E
- Charles Sikora, Forester, Sikora Forestry
- Greg Stangl, Principal, Phoenix Energy
- John Romena, Fuel Procurement Manager, Buena Vista Biomass Power
- Gregg Kaylor, Fuel Procurement Manager, Pacific Ultrapower Chinese Station
- Tim Bordges, Bordges Timber, Inc.
- Armando Soria, District 10 Traffic Operations Branch, CAL TRANS
- Pat Garcia, Project Manager, Mariposa County Resource Conservation District

The TSS Consultants lead team included:

- Tad Mason, Forester and CEO
- Katherine Mitchell, Spatial Analyst

Table of Contents

INTRODUCTION	1
FEEDSTOCK AVAILABILITY ANALYSIS	3
Vegetation Cover	3
Land Ownership and Jurisdiction	6
Forest-Sourced Biomass	11
Timber Harvest Residuals.....	11
Fuels Treatment/Plantation Thinning/Utility Line Clearance.....	16
Potential Forest Feedstocks.....	18
Findings.....	18
Urban-Sourced Biomass	19
Construction and Demolition Wood.....	19
Residential Tree Trimming Material	20
Agriculture-Sourced Biomass.....	21
Biomass Feedstock Competition Analysis	23
Current Competition	23
Potential Competition	23
Findings.....	24
FEEDSTOCK COST ANALYSIS	26
Existing Market Prices	26
Costs to Collect, Process and Transport Biomass Feedstocks.....	26
Delivered Price Forecast.....	28
FEEDSTOCK PROCUREMENT.....	30
Feedstock Specifications.....	30
Feedstock Providers	30
Feedstock Procurement Contracting.....	31
CONCLUSIONS.....	33
RECOMMENDATIONS	34

List of Tables

Table 1. Vegetation Cover within the FSA.....	3
Table 2. Slope Assessment for Forested Land Cover Types	5
Table 3. Land Ownership and Jurisdiction within the FSA: Total and Forested Acres	9
Table 4. Private Timber Harvest Volume 2010 through 2014.....	11
Table 5. Private Timber Harvest Volume Estimates by County within the FSA	12
Table 6. Public Timber Harvest Volume 2010 through 2014.....	12
Table 7. Public Timber Harvest Volume Estimates by County within the FSA	12
Table 8. Total Timber Harvest Residuals Technically and Economically Available.....	15
Table 9. Fuels Treatment Activities and Utility Line Clearance Planned Across the FSA	16
Table 10. Forest-Sourced Biomass Feedstock Available	18
Table 11. Construction and Demolition Wood Waste Feedstock.....	19
Table 12. Tree Trimming Material Feedstock	20
Table 13. Urban-Sourced Biomass Feedstock Available	21
Table 14. Commercial Orchard Acreage by Crop within the FSA.....	21
Table 15. Agriculture-Sourced Biomass Feedstock Available	22
Table 16. Facilities Currently Sourcing Biomass Feedstock from the FSA	23
Table 17. Potential Feedstock Competition	24
Table 18. Biomass Feedstock Available within the FSA	24
Table 19. Current Biomass Feedstock Market Prices	26
Table 20. Biomass Collection, Processing, Transport Costs and Market Prices	26
Table 21. Optimized Feedstock Blend.....	28
Table 22. Five-Year Feedstock Cost Forecast 2017 to 2021	28
Table 23. Forest Feedstock Processors	30
Table 24. Orchard Removal Contractors	31

List of Figures

Figure 1. Feedstock Sourcing Area and Drive Time	1
Figure 2. Vegetation Cover Map	4
Figure 3. Vegetation Cover Distribution	5
Figure 4. Land Ownership and Jurisdiction within the FSA	7
Figure 5. Private Ownership Forested Lands.....	8
Figure 6. Land Ownership Distribution.....	10
Figure 7. Feedstock Supply Curve.....	29

List of Appendices

Appendix A. Senate Bill 1122
Appendix B. SB 1122 Forest Derived Biomass Supply Eligibility
Appendix C. Forest Health Protection Survey
Appendix D. Feedstock Specifications Example


INTRODUCTION

The Mariposa Biomass Project Group (MBPG) is considering development of a new community-scale (1 to 3 MW) biomass power generation facility at Mariposa, California. Availability of economical, woody biomass feedstock meeting feedstock specifications is an important consideration in the evaluation of this potential opportunity. A primary objective of the MBPG is to provide a value-added utilization alternative for excess forest biomass feedstock generated as a byproduct of hazardous forest fuels reduction activities in the greater Mariposa area.

In order for the MBPG to take advantage of a 2012 state legislative initiative (Senate Bill 1122) in support of small-scale bioenergy project development in California, the project must meet SB 1122 program implementation guidelines.¹ A key feedstock requirement included in the guidelines is the provision that the project must utilize at least 80 percent forest-sourced feedstock generated as byproducts of sustainable forest management. Appendix A provides an overview of SB 1122 and relevant feedstock provisions. This feedstock availability and cost analysis report addresses SB 1122 requirements. It will be important that the MBPG consider meeting SB 1122 guidelines in order to secure a power purchase agreement with PG&E.

The feedstock sourcing area (FSA) utilized for this analysis includes a 50-mile radius from Mariposa. Figure 1 highlights the 50-mile radius and approximate haul zones (30 minute, 60 minute and 90 minute). Please note that haul zone designations are very high level and are provided here to show that the local road system favors hauling from the north, west and south.

Figure 1. Feedstock Sourcing Area and Drive Time



¹ Per January 2015 proposed decision issued by the California Public Utilities Commission Administrative Law Judge Simon.

Feedstock considered in this analysis includes forest-sourced material from both private and publicly managed lands, agricultural residuals, and urban wood including clean construction and demolition wood and green waste.²

This analysis addresses availability of technically and economically available feedstocks from the FSA. The technical availability analysis includes an assessment of availability based on critical issues such as SB 1122 compliance and road systems that will accommodate chip vans. The economically available screens address competition and demand for biomass feedstocks.

² Green waste is primarily made up of tree trimmings and other woody vegetative material.

FEEDSTOCK AVAILABILITY ANALYSIS

Vegetation Cover

Woody biomass availability for any given region is heavily dependent on vegetation cover, topography, land management objectives, and ownership. Figure 2 (see next page) shows the vegetation cover types for the FSA using US Geological Survey LANDFIRE data. The vegetation cover types are categorized as agriculture, conifer, hardwood, shrubland, grassland, developed, water and non-forest. Non-forest includes barren, rocky and ice or snow-covered terrain.


Vegetation cover types influence woody biomass availability. Depending on management objectives, certain cover types could generate significant volumes of woody biomass material for use as feedstocks for bioenergy production. Table 1 and Figure 3 summarize vegetative cover categories within the FSA. The conifer cover class is predominantly Sierran Mixed Conifer-Red Fir, with additional areas of Ponderosa Pine and Subalpine Conifer. The hardwood cover class consists mostly of Montane Hardwood. In the Mariposa FSA, shrubland includes areas of grassland mixed with Blue Oak Woodland and Mixed Chapparal.³

Table 1. Vegetation Cover within the FSA

COVER CATEGORIES	50-MILE FSA	
	ACRES	PERCENT OF TOTAL
Agriculture	922,880	18.4%
Conifer	1,724,935	34.3%
Hardwood	327,550	6.5%
Shrubland	988,272	19.7%
Grassland	137,098	2.7%
Non-Forested	298,817	5.9%
Water	247,633	4.9%
Developed	379,362	7.5%
TOTALS	5,026,548	100.0%

³ Vegetation cover also utilizes the California Wildlife Habitat Relationship (CWHR) vegetation classification database. California Department of Fish and Wildlife: <https://www.dfg.ca.gov/biogeodata/cwhr/>

Figure 2. Vegetation Cover Map




Data Source:
U.S. Geologic Survey
LANDFIRE



- | | | | |
|----------------|--------------|-----------|-------------|
| 50-Mile Radius | Non-Forested | Grassland | Agriculture |
| Rim Fire | Hardwood | Shrubland | Developed |
| Slope > 35% | Conifer | Water | |

Figure 3. Vegetation Cover Distribution



Over one-third of the FSA consists of the conifer cover type. Hardwoods (shown in Table 1 and Figure 3) are found in the Sierra Nevada foothills and along watercourses. Approximately 20 percent of the FSA is classed as shrubland. The 50-mile FSA includes access to agricultural and urban wood feedstocks.

Forest biomass collection activities are generally restricted to topography that will allow ready access for equipment and crew. Steep topography over 35 percent slope gradient is considered to be the breakoff point for ground-based logging and/or biomass recovery equipment on federally managed lands (US Forest Service and Bureau of Land Management). Private land managers may use ground-based equipment on slopes up to 50 percent, but the cost of operating on sustained slopes above 35 percent are quite high and often considered prohibitive. Areas with 35 percent slope or higher are highlighted in Figure 2 (shown in black). Table 2 summarizes the results of the slope gradient analysis within the forested landscape across the FSA.

Table 2. Slope Assessment for Forested Land Cover Types

COVER CATEGORY	50-MILE FSA	
	≤ 35% SLOPE	> 35% SLOPE
Conifer	75.8%	24.2%
Hardwood	47.8%	52.2%
WEIGHTED AVERAGE	71.3%	28.7%

As shown in Table 2, slope gradient does limit accessible forestland. Hardwood forest types are significantly more affected than conifer. Approximately 52 percent of the total hardwood forest occurs on steep slope gradients. Steep slopes reduce forest treatment access on 24 percent of the conifer forest. However, much of the landscape with slopes greater than 35 percent is concentrated in riparian areas that are typically considered critical wildlife habitat and are not usually targeted for fuels treatment activities.


Land Ownership and Jurisdiction

Land ownership is important as a driver of vegetation management objectives and therefore the availability of acreage for feedstock sourcing. Figure 4 maps the location of public and private land ownerships and jurisdictions. Table 3 and Figure 6 summarize land ownership and jurisdiction within the Mariposa FSA. There are over 5 million total acres within the FSA, with approximately 58 percent in private ownership and 42 percent under state or federal jurisdiction. The USDA Forest Service (USFS) manages three national forests within the FSA: Sierra National Forest, Stanislaus National Forest and a very small section of the Inyo National Forest. Each of the three national forests has designated wilderness areas that remove acreage from consideration for feedstock sourcing. All of Yosemite National Park, and most of the Yosemite Wilderness, are under National Park Service (NPS) jurisdiction and fall within the FSA.

The Forested Acres columns in Table 3 specifically calculate the acreage potentially available for feedstock sourcing. The Sierra National Forest non-wilderness has 33 percent of the forested land in the FSA. The Stanislaus National Forest non-wilderness has 26 percent; however, almost a third of the forested acreage in the Stanislaus National Forest has been removed from consideration for feedstock sourcing due to the large-scale 2013 Rim Fire. Yosemite National Park does have active forest management programs, although the forested acres potentially available for feedstock have also been reduced by the Rim Fire. There are approximately 1.5 million forested acres in the Mariposa FSA after acreage reductions for USFS and NPS wilderness and removal of all Rim Fire burned acres. Accounting for adverse slopes greater than 35 percent (see Table 2 and Table 3), the total forest landscape considered accessible for feedstock sourcing amounts to approximately 1.1 million acres.

It is important to note that private lands constitute 43% of the forested acreage, making forest management activity on private lands a potentially significant source of feedstock materials. Figure 5 maps private forest acreage, conifer and hardwood cover classes. Although there are some contiguous parcels of private forest lands in the Stanislaus and Sierra National Forest, most private land forests are on smaller discontinuous acreage. Shrubland acreage within the FSA is almost all on private lands.

Figure 4. Land Ownership and Jurisdiction Within th FSA



Data Source:
 Bureau Land Management
 LAND Surface Estates














- | | | | |
|---|--|---|---|
|  50-Mile Radius |  USFS National Forest |  USFS Wilderness |  FWS Wildlife Refuge |
|  Private Lands |  NPS National Park |  NPS Wilderness |  Other Federal Lands |
| |  BLM Public Domain |  BLM Wilderness | |

Figure 5. Private Ownership of Forested Lands



*Data Source:
Bureau Land Management
LAND Surface Estates*




Table 3. Land Ownership and Jurisdiction within the FSA: Total and Forested Acres



OWNERSHIP	50-MILE FSA					
	TOTAL ACRES		FORESTED ACRES			
	TOTAL ACRES	PERCENT TOTAL ACRES	CONIFER ACRES	HARDWOOD ACRES	TOTAL FORESTED ACRES	PERCENT FORESTED ACRES
BLM Public Domain	129,706	2.6%	60,620	13,187	73,807	4.91%
USFS Sierra National Forest (Non-Wilderness)	503,357	10.0%	404,113	87,614	491,727	32.68%
USFS Stanislaus National Forest (Non Wilderness)	390,059	7.8%	299,505	88,695	388,200	25.80%
Stanislaus Rim Fire Burned Acres	-154,540	-3.1%	-109,980	-29,088	-139,068	-9.24%
USFS Inyo National Forest (Non Wilderness)	6,570	0.1%	1,908	72	1,980	0.13%
USFS National Forest Designated Wilderness	290,554	5.8%				
NPS Yosemite (Non Wilderness)	96,781	1.9%	60,194	10,202	70,396	4.68%
Yosemite Rim Fire Burned Acres	-11,879	-0.2%	-7,934	-1,707	-9,641	-0.64%
NPS Yosemite Wilderness	623,107	12.4%				
Other Federal ⁴	52,056	1.0%				
State and Local	19,153	0.4%				
Private	2,912,532	58.0%	548,390	99,217	647,607	43.04%
Private Land Rim Fire Burned Acres	-23,988	-0.5%	-17,691	-2,672	-20,363	-1.35%
TOTALS	5,023,875	100%	*1,239,125	*265,520	*1,504,645	100.0%
Steep Topography (> 35%) Acres			-299,780	-138,655		
GRAND TOTALS			939,345	126,865	1,066,210	

*Rim Fire burned acres have been removed from totals

The Total Acres columns do not have Rim Fire acres removed from their final total. However, the Forested Acres columns are summed with Rim Fire burned acreage removed. Therefore, Forested Acres columns represent acreage potentially available for feedstock sourcing.

⁴ Other federal lands include the Bureau of Reclamation, US Army Corps of Engineers and US Fish and Wildlife Service

Figure 6. Land Ownership Distribution.



*Forested acreage available for forest management; Rim Fire burned acres are removed.

Land ownership distribution is shown in Figure 6 using the acreage amounts in Table 3. Forested Acres are potentially available for feedstock sourcing. The Sierra National Forest has a larger portion of forested lands potentially available than the Stanislaus National Forest after excluding acreage lost to the Rim Fire. Yosemite National Park contains about 4 percent of the forest land available for management in the FSA.

Forest-Sourced Biomass

Timber Harvest Residuals

Timber harvest residuals can provide significant volumes of woody biomass material. Typically available as limbs, tops and unmerchantable logs,⁵ these residuals are byproducts of commercial timber harvest operations. As such, these residuals have very limited market value though they can be a relatively economic raw material feedstock source for bioenergy production.⁶ Once collected and processed using portable chippers or grinders, this material is an excellent biomass feedstock due to relatively high heat value,⁷ low moisture content⁸ and low ash content.⁹

Timber harvest activity within the State of California is monitored by the State Board of Equalization (BOE). The BOE levies timber harvest taxes based on annual timber harvest levels. A review of the 2010 through 2014 BOE timber harvest data was conducted to analyze historic timber harvest activities within the FSA. BOE data is provided separately for commercial timber harvests on both private and public lands. The FSA takes in all or part of eight counties: Calaveras, Fresno, Madera, Mariposa, Merced, Mono, Stanislaus and Tuolumne.

Table 4 and Table 5 provide results for private timber harvests by county, expressed in thousand board feet (MBF)¹⁰ per year. Table 6 and Table 7 provide results for public timber harvests, expressed in MBF per year.

Table 4. Private Timber Harvest Volume 2010 through 2014

COUNTY	2010 (MBF/YR)	2011 (MBF/YR)	2012 (MBF/YR)	2013 (MBF/YR)	2014 (MBF/YR)	AVERAGE (MBF/YR)
Calaveras	19,285	32,298	36,420	33,393	1,110	24,501
Fresno	5,244	4,534	5,724	3,934	530	3,993
Madera	21	38	990	231	211	298
Mariposa	1,524	4,335	3,031	5,080	4,406	3,675
Merced	0	0	0	0	0	0
Mono	0	0	0	0	0	0
Stanislaus	0	0	0	0	0	0
Tuolumne	11,715	37,981	28,287	63,520	67,768	41,854
TOTALS	37,789	79,186	74,452	106,158	74,026	74,322

⁵ Unmerchantable logs are typically too small or defective (diseased or dead) for manufacturing into lumber.

⁶ Biomass power plants such as Pacific Ultrapower Chinese Station and SPI Standard are currently procuring forest feedstock from the FSA.

⁷ Conifer material typically has a high heat value exceeding 8,000 Btu per dry pound.

⁸ If processed six months after harvest (allowed to dry), moisture content can be as low as 30%.

⁹ Typically less than 3% ash.

¹⁰ MBF = thousand board foot measure. One board foot is nominally 12" long by 12" wide and 1" thick.

Table 5. Private Timber Harvest Volume Estimates by County within the FSA

COUNTY	PERCENT IN FSA	WEIGHTED AVERAGE (MBF/YR)
Calaveras	10.2%	2,489
Fresno	14.4%	577
Madera	98.1%	293
Mariposa	100.0%	3,675
Merced	54.6%	0
Mono	1.6%	0
Stanislaus	27.4%	0
Tuolumne	77.4%	32,406
TOTALS		39,440

Table 6. Public Timber Harvest Volume 2010 through 2014

COUNTY	2010 (MBF/YR)	2011 (MBF/YR)	2012 (MBF/YR)	2013 (MBF/YR)	2014 (MBF/YR)	AVERAGE (MBF/YR)
Calaveras	6,368	1,363	3,026	2,864	838	2,892
Fresno	2,070	13,246	7,405	11,083	25,978	11,956
Madera	3,532	3,900	8,910	5,538	2,137	4,803
Mariposa	3,579	228	0	5,080	0	1,777
Merced	0	0	0	0	0	0
Mono	0	30	2,349	444	0	565
Stanislaus	0	0	0	0	0	0
Tuolumne	11,881	6,095	7,072	16,987	62,555	20,918
TOTALS	27,430	24,862	28,762	41,996	91,507	42,911

Table 7. Public Timber Harvest Volume Estimates by County within the FSA

COUNTY	PERCENT IN FSA	WEIGHTED AVERAGE (MBF/YR)
Calaveras	10.2%	294
Fresno	14.4%	1,727
Madera	98.1%	4,712
Mariposa	100.0%	1,777
Merced	54.6%	0
Mono	1.6%	9
Stanislaus	27.4%	0
Tuolumne	77.4%	16,196
TOTALS		24,715

Geographic Information System (GIS) spatial analysis determined the percentage of each of the eight counties that lies within the FSA (as shown in Table 5 and Table 7). Using this data, a weighted average timber harvest figure was calculated for each county. The 2010 through 2014 historic record of private and public timber harvest across all counties results in a weighted average annual harvest of 64,155 MBF within the 50-mile FSA.

Results of historic timber harvest data analysis confirm that total harvest levels within the FSA have been inconsistent over time. For example, timber harvest figures for 2013 (private and public timber) and 2014 (public timber only) reflect fire salvage harvests consistent with the Rim Fire landscape restoration effort. It is also worth noting that the two counties that make up much of the FSA, Madera and Mariposa, have a combined average timber harvest of about 10,457 MBF per year. This combined harvest for these two counties represents about 16% of the total annual timber harvest within the FSA. The region immediately surrounding Mariposa is not an active commercial harvest area. Part of the reason for this is the fact that there are no large corporate timber holdings (e.g., Sierra Pacific Industries, Soper Wheeler Company) that are focused on growing commercial timber. In addition, the local sawlog market has constricted significantly following the closure of sawmills at North Fork (1994) and Auberry (1994).

TSS' experience with forest biomass recovery confirms that a recovery factor of 0.9 bone dry ton (BDT)¹¹ per MBF of sawlogs harvested would apply for commercial timber harvests in mixed conifer stands within the FSA. This amounts to a potential availability of 57,739 BDT per year of timber harvest residuals as feedstock from the FSA.

Not all road systems will accommodate biomass recovery operations. Slope gradient has a significant impact on forest road layout. Slope analysis (see Table 2) confirms that almost 29 percent of the forested acreage in the FSA is over 35 percent slope gradient. Based on interviews with public and private land managers, it is assumed that 75 percent of the publicly managed forest landscape has road systems that will facilitate chip transport. Privately managed forests are slightly less at 70 percent. For the purposes of this feedstock analysis, it is assumed that 75 percent of the timber harvest operations on publicly managed forest lands and 70 percent of the private forests are located on road systems that will support biomass feedstock transport using conventional chip vans.

In addition to road systems, the other technical availability screens include compliance with Senate Bill 1122. SB 1122 clearly designates CAL FIRE as the lead agency to determine forest feedstocks that qualify as byproducts of sustainable forest management. Appendix A includes the full text of SB 1122. CAL FIRE convened a series of workshops during the fall of 2013 and developed suggested guidelines to meet the intent of SB 1122. In December 2014, the full California Public Utilities Commission (CPUC) accepted the SB 1122 implementation decision which included the CAL FIRE sustainability guidelines. See Appendix B for the SB 1122 forest feedstock sustainability guidelines.

Forest biomass that qualifies as feedstock consistent with SB 1122 must be sourced as one of four forest sources.

¹¹ One bone dry ton equals 2,000 dry pounds (no moisture content).

- Fire Threat Reduction
 - Consistent with Fire Plan approved by CAL FIRE
 - Consistent with fuels treatment activities on federal lands
- Fire Safe Clearance Activities
 - Near homes, businesses, consistent with state Public Resources Code sections requiring defensible space clearance
 - Also applies to 150' Fuel Reduction Exemption
- Infrastructure Clearance Projects
 - Power lines, substations, roads, railways, switchyards
- Other Sustainable Forest Management
 - Must meet at least 12 of 16 items that address:
 - Habitat, temporal, and spatial diversity objectives
 - Habitat elements
 - Forest health and fire management objectives
 - Air and water quality protection
 - Societal and economic benefits

As noted above, the SB 1122 guidelines suggest that forest biomass material sourced from sustainable forest management activities must meet at least 12 of 16 eligibility criteria listed (Section II of the guidelines). Some of the private land management activities within the FSA are carried out using even-age management prescriptions. It is not clear if even-age management will meet 12 of the eligibility criteria. TSS contacted CAL FIRE representatives¹² to discuss how the agency plans to interpret and implement the sustainability guidelines. CAL FIRE staff¹³ confirmed that the Energy Division staff at the CPUC are tasked (as a result of the SB 1122 Implementation Decision) with implementing third-party verification and monitoring of feedstock sources and will likely do so within the next 12 months.

In the meantime, TSS will assess timber harvest residual feedstock compliance assuming that byproducts of even-age forest management activities do not qualify as SB 1122 compliant feedstock.

The SB 1122 guidelines require that at least 80 percent of the forest feedstock meet the sustainability criteria. The remaining 20 percent of the feedstock can be made up of byproducts from even-age management activities, agricultural operations and/or urban wood waste (no treated or painted wood). Due to the more cost-effective nature (as noted in Table 20) and wintertime availability of agricultural byproducts and urban wood waste, TSS recommends the 20 percent feedstock blend not include material sourced from even-age forest management activities (even though this is currently allowed by SB 1122 guidelines).

Interviews with foresters managing private forestlands¹⁴ within the FSA confirmed that about 50 percent of the commercial timber harvested is from even-age management activities. Interviews with foresters managing public lands confirmed that no even-age management activities occur on publicly managed forests within the FSA.

¹² Kim Carr, Assistant Deputy Director, CAL FIRE, Duane Shintaku, Deputy Director, CAL FIRE.

¹³ Kim Carr, Assistant Deputy Director, CAL FIRE.

¹⁴ Tim Tate, Sierra Pacific Industries, Charles Sikora, Consulting Forester, and Leon Manich, Consulting Forester.

Timber harvest residual biomass feedstock considered technically available has been screened for topography (slope gradient) and road systems that allow biomass transport and for SB 1122 guidelines assuming even-age management is considered non-compliant.

The final feedstock availability screen is consideration of economic availability which addresses competing uses and markets for timber harvest residuals and forest thinning material. As noted in the Biomass Feedstock Competition Analysis, the primary market competition will be from existing and potential biomass power generation facilities. However, there are a variety of competing uses and fates for timber harvest residuals including:

- Firewood
- Biomass fuel for existing and potential biomass power generation facilities
- Compost
- Pile and burn
- Lop and scatter

Table 8 shows the timber harvest residuals considered technically and economically available on an annual basis.

Table 8. Total Timber Harvest Residuals Technically and Economically Available

COUNTY	PRIVATE (BDT/YR)	PUBLIC (BDT/YR)
Calaveras	2,240	264
Fresno	519	1,554
Madera	263	4,240
Mariposa	3,308	1,600
Merced	0	0
Mono	0	8
Stanislaus	0	0
Tuolumne	29,166	14,576
POTENTIALLY AVAILABLE	35,496	22,243
ADJUSTMENT FOR ROADS/SLOPE	-10,649	-5,561
ADJUSTMENT EVEN-AGE MGMT	-17,748	
TECHNICALLY AVAILABLE	23,782	
ADJUSTMENT FOR COMPETING USES	-8,324	
ECONOMICALLY AVAILABLE	15,458	

Timber harvest residual availability will fluctuate based on sawlog demand and landownership management goals and objectives. As Table 4 and Table 6 confirm, sawlog harvest can and will vary annually.

Of the five counties within the FSA that historically generate saw logs, only two are likely to provide significant volumes of timber harvest residuals that could be readily accessible to a biomass project at Mariposa: Madera and Mariposa.

Fuels Treatment/Plantation Thinning/Utility Line Clearance

Mariposa County is home to numerous communities with residential neighborhoods situated within the wildland urban interface (WUI). Due to high fire danger conditions within the WUI, there are concerted efforts across all forest ownerships to proactively reduce hazardous forest fuels in support of defensible communities. In addition, forest landowners are conducting pre-commercial thinning activities within plantations in order to achieve fuels treatment and stocking control (reduce the number of trees per acre as plantations age over time and tree size increases). Utility line clearance activities are also a potential source of forest feedstock.

Discussions with the Sierra National Forest,¹⁵ Stanislaus National Forest,¹⁶ Fire Safe Councils,¹⁷ Natural Resource Conservation Service,¹⁸ Pacific Gas and Electric (PG&E),¹⁹ National Park Service²⁰ and consulting foresters²¹ managing private lands provided data on fuels treatment, plantation thinning, and utility line clearance projects and confirmed plans for future treatments. Summarized in Table 9 are the results of those interviews.

Table 9. Fuels Treatment Activities and Utility Line Clearance Planned Across the FSA

SOURCE	FOREST TREATMENT ACTIVITIES		AVERAGE (ACRES/YR)	BIOMASS FEEDSTOCK (BDT/YEAR)
	LOW RANGE (ACRES/YR)	HIGH RANGE (ACRES/YR)		
Mariposa Co Fire Safe Council	200	400	300	3,750
Other Fire Safe Councils	300	500	400	5,000
Private Landowners	100	300	200	2,500
BLM	100	300	200	2,500
Sierra National Forest	500	800	650	8,125
Stanislaus National Forest	500	700	600	7,500
Yosemite National Park	100	300	200	2,500
Utility Line Clearance				750
Tree Service Contractors				750

¹⁵ Mike Nolen, Forester, Bass Lake RD.

¹⁶ Dave Horak, TMO, Stanislaus NF.

¹⁷ Chris Trott, Forester, Highway 108 Fire Safe Council.

¹⁸ Matt McNicol, Forester, Natural Resources Conservation Service.

¹⁹ Corey Peters, Vegetation Program Manager, Central Valley Region, PG&E, David Carruth, Contract Program Manager, Central Valley Region, PG&E.

²⁰ Taro Pusina, Deputy Chief, Prescribed Fire and Fuels, Yosemite National Park, Brian Mattos, Forester, Yosemite National Park.

²¹ Leon Manich, Forester, Cal Reforest, Tim Tate, District Manager, Sierra Pacific Industries, Charles Sikora, Forester, Sikora Forestry.

SOURCE	FOREST TREATMENT ACTIVITIES		AVERAGE (ACRES/YR)	BIOMASS FEEDSTOCK (BDT/YEAR)
	LOW RANGE (ACRES/YR)	HIGH RANGE (ACRES/YR)		
TOTALS	1,800	3,300	2,550	33,375
POTENTIALLY AVAILABLE				33,375
ADJUSTMENT FOR RECOVERY				-13,350
TECHNICALLY AVAILABLE				20,025
ADJUSTMENT FOR COMPETING USES				-8,010
ECONOMICALLY AVAILABLE				12,015

Due to very limited value-added markets for woody biomass material generated as a byproduct of forest fuels treatment activities, most of the fuels treatment operations are processing (mastication or chipping) excess forest biomass and leaving it on site or piling and burning as primary disposal techniques. Discussions with project coordinators and foresters indicated that if a ready market for biomass material existed with values high enough to cover most of the collection, processing and transport costs (\$45 to \$60/BDT), significant biomass volume would be diverted away from current business-as-usual activities (e.g., mastication, chip, lop and scatter, pile and burn).

In addition to fuels treatment and plantation thinning within the FSA, PG&E conducts power distribution and transmission line clearance activities. Discussions with PG&E vegetation management staff²² confirmed that power distribution and transmission line clearance in support of hazard tree trimming and removal is conducted regularly within the FSA. Based on operations over the last five years, approximately 750 BDT per year of forest biomass residuals are generated along utility line corridors across all of the FSA.

Interviews with forest managers and fiber procurement foresters confirmed that between 10 and 15 BDT per acre of biomass are considered recoverable during fuels treatment and plantation thinning activities. Assuming an average recovery factor of 12.5 BDT per acre and using the acreage figures as provided in Table 9, approximately 33,375 BDT (potentially availability figure) are potentially available per year.

Interviews with resource managers confirmed that much of the potential feedstock is not recoverable due to roads, steep slopes and general accessibility. Applying a 60% adjustment factor results in a technically available figure of 20,025 BDT per year. Understanding that there

²² Corey Peters, Vegetation Management Program Manager, Central Valley Region, PG&E, David Carruth, Contract Program Manager, Central Valley Region, PG&E.

will be competing markets (see Biomass Feedstock Competition Analysis) and uses, TSS estimates that 40% of the technically available fuels treatment feedstock will not be available, resulting in 12,015 BDT per year considered to be economically available.

Potential Forest Feedstocks

Episodic events such as wildfire and insect infestations can have a significant impact on forest health and the volume of byproducts available during restoration activities. Recent aerial surveys conducted by the US Forest Service confirm that prolonged drought conditions, coupled with bark beetle infestation, have had a severe impact on lower elevation pine and incense cedar on the western slope of the central and southern Sierra Nevada. Estimates from the July 2015 aerial survey of 3.6 million acres suggest that over six million trees on 500,000 acres are dead. The complete survey document can be found in Appendix C.

Land managers, landowners and power utility foresters are seeking out markets for the drought and beetle killed timber. Unfortunately, due to recent fire activity (and the glut of sawlogs from fire salvage operations) the local sawmills²³ are not able to absorb all the logs generated from tree morality removal operations. These logs (and harvest residue) are an excellent feedstock source. Logs can be stored for up to three years without significant degradation. North Fork Community Power is in the process of assessing whether to store logs on the sawmill site at North Fork in anticipation of the Q4 2016 start up of the bioenergy facility.

Events such as the 2013 Rim Fire, 2013 American Fire and 2014 King Fire will generate significant quantities of non-merchantable material that could be utilized as forest feedstock. Feedstocks available as byproducts of fire restoration activities meet the SB 1122 guidelines. Because wildfire and insect infestations are not predictable, they are not specifically calculated in this feedstock availability analysis but are considered potential forest feedstocks.

Findings

Table 10 summarizes findings regarding forest-sourced feedstock availability in the FSA.

Table 10. Forest-Sourced Biomass Feedstock Available

SOURCE	POTENNTIALLY AVAILABLE (BDT/YEAR)	TECHNICALLY AVAILABLE (BDT/YEAR)	ECONOMICALLY AVAILABLE (BDT/YEAR)
Timber Harvest Residuals	57,739	23,782	15,458
Forest Treatments	33,375	20,025	12,015
TOTALS	91,114	43,807	27,473

²³ Discussions with Larry Duysen, Sierra Forest Products and Brian Wayland, Sierra Pacific Industries.

Urban-Sourced Biomass

Construction and Demolition Wood

Wood waste generated by local residents, businesses, and construction projects within the FSA regularly produce wood waste in the form of construction debris, demolition wood, and industrial byproducts (e.g., wood pallets). Based on TSS' experience with urban wood waste generation, approximately 11.5 pounds per capita of waste are generated daily with 10.5 percent of the solid waste stream made up of wood waste. Urban wood feedstock is assumed to have a 20 percent moisture content factor.²⁴ Approximately 65 percent of the total potential volume of urban wood feedstock is recoverable as clean²⁵ wood waste and is considered technically available.

Discussions with the Mariposa County Solid Waste Facility staff²⁶ confirmed that due to relatively high fees (\$55/ton) charged for wood waste, the facility receives very little construction and demolition wood and green waste. Apparently most of the wood waste generated is burned as firewood or piled and burned. Between 2012 and 2014, the facility received an average of approximately 46 BDT per year (construction, demolition, and other wood waste are characterized as brush).

Considering that most of the wood waste generated in the greater Mariposa area (per discussions with solid waste facility staff) is utilized as firewood or is piled and burned, TSS assumes that 90% of the construction and demolition wood is not available as feedstock for the Mariposa project.

Table 11 identifies clean urban wood waste considered economically available in the FSA.

Table 11. Construction and Demolition Wood Waste Feedstock

COUNTY	COUNTY 2015 POPULATION	50-MILE RADIUS POPULATION	50-MILE RADIUS (BDT/YR)
Calaveras	45,688	4,642	818
Fresno	972,297	140,454	24,761
Madera	155,878	152,900	26,955
Mariposa	17,791	17,791	3,136
Merced	266,134	145,241	25,605
Mono	14,695	228	40
Stanislaus	532,297	145,600	25,669
Tuolumne	54,337	42,071	7,417
POTENTIALLY AVAILABLE	2,059,117	648,927	114,403

²⁴ From TSS' experience procuring urban wood waste feedstocks.

²⁵ Clean wood waste is woody debris that is free of paint, resins, pesticides or chemical treatment.

²⁶ Greg Ollivier, Manager, Mariposa County Solid Waste and Recycling.

COUNTY	COUNTY 2015 POPULATION	50-MILE RADIUS POPULATION	50-MILE RADIUS (BDT/YR)
ADJUSTMENT FOR RECOVERY			-40,041
TECHNICALLY AVAILABLE			74,362
ADJUSTMENT FOR COMPETING USES			-66,926
ECONOMICALLY AVAILABLE			7,436

Residential Tree Trimming Material

Working from previous studies performed by TSS, it is estimated that approximately 100 dry pounds of tree trimmings (not including utility line clearance or commercial tree services) suitable for feedstock are generated annually per capita. TSS assumes approximately 60 percent of this wood waste is recoverable²⁷ as biomass feedstock. Discussions with foresters²⁸ and tree service companies²⁹ confirmed that many homeowners are utilizing tree trimming material as compost or firewood. TSS assumes that 95% of the tree trimming material is not available due to these competing uses.

Table 12 identifies tree trimming material considered economically available within the FSA.

Table 12. Tree Trimming Material Feedstock

COUNTY	COUNTY 2015 POPULATION	50-MILE RADIUS POPULATION	50-MILE RADIUS (BDT/YR)
Calaveras	45,688	4,642	232
Fresno	972,297	140,454	7,023
Madera	155,878	152,900	7,645
Mariposa	17,791	17,791	890
Merced	266,134	145,241	7,262
Mono	14,695	228	11
Stanislaus	532,297	145,600	7,280
Tuolumne	54,337	42,071	2,104
POTENTIALLY AVAILABLE	2,059,117	648,927	32,446
ADJUSTMENT FOR RECOVERY			-12,979
TECHNICALLY AVAILABLE			19,468

²⁷ From TSS' experience procuring urban wood waste feedstocks.

²⁸ Charles Sikora, Forester, Sikora Forestry.

²⁹ Goodman and Cole Tree Service, Evan Tree Service.

COUNTY	COUNTY 2015 POPULATION	50-MILE RADIUS POPULATION	50-MILE RADIUS (BDT/YR)
ADJUSTMENT FOR COMPETING USES			-18,494
ECONOMICALLY AVAILABLE			973

Table 13 summarizes urban-sourced biomass feedstock available within the FSA.

Table 13. Urban-Sourced Biomass Feedstock Available

SOURCE	POTENTIALLY AVAILABLE (BDT/YR)	TECHNICALLY AVAILABLE (BDT/YR)	ECONOMICALLY AVAILABLE (BDT/YR)
Construction and Demolition	114,403	74,362	7,436
Tree Trimming	32,446	19,468	973
TOTALS	146,849	93,830	8,410

Agriculture-Sourced Biomass

Commercial agriculture comprises over 18 percent of the land use within the FSA (see Table 1). Specific crop production and acreage was calculated using GIS and 2014 National Agricultural Statistics Service data. About one-third of the agricultural acres grow commercial crops that produce significant volumes of wood waste from orchard removal activities. Table 14 summarizes commercial orchard acreage currently in production.³⁰ Nut orchards, predominantly almonds, are the most significant agricultural woody crop in the FSA.

Table 14. Commercial Orchard Acreage by Crop within the FSA

COVER CATEGORIES	50-MILE FSA	
	ACRES	PERCENT OF TOTAL
Almonds	306,318	91.1%
Cherry	841	0.2%
Other Tree Crops*	687	0.2%
Walnuts	9,195	2.7%
Peaches	1,304	0.4%
Pistachios	18,027	5.4%
TOTALS	336,371	100.0%

*Other tree crops include apples, apricots, plums and pecans

³⁰ Data compiled from National Agricultural Statistic Service, 2014.

Woody crops are removed on a rotational basis that varies by crop. TSS, in collaboration with U.C. Davis Agricultural Extension and local orchard removal contractors, has identified replacement intervals and biomass recovery rates for the major tree crops within the FSA shown in Table 14. Crop replacement intervals provide an assessment of expected biomass material availability assuming constant annual acreage planted.

Using the replacement interval and biomass recovery rates identified in Table 14, TSS calculated potential availability of agriculture-sourced feedstock within the FSA. To be conservative, TSS did not include the potential biomass from grape vines. Grape vine removals are often contaminated with trellis wire and metal stakes that are impractical to extricate.

There are numerous orchard removal contractors active in the San Joaquin Valley with almost 100 percent of the orchard material being removed (100 percent recovery) and utilized primarily for firewood and fuel for biomass power plants operating in the valley (see Biomass Feedstock Competition Analysis). Because of the 100 percent recovery rate, TSS reports potentially availability and technical availability as one figure. Understanding that there is significant competition (firewood and biomass fuel) for orchard wood (see Biomass Feedstock Competition Analysis), TSS estimates that approximately 5% percent of the technically available volume is considered economically available.

Table 15 provides an overview of economically available orchard material.

Table 15. Agriculture-Sourced Biomass Feedstock Available

CROP	REPLACEMENT INTERVAL (YEARS)	BIOMASS RECOVERY (BDT/ACRE)	AVERAGE RECOVERY RATE (BDT/ACRE-YR)	50-MILE RADIUS (BDT/YR)
Almonds	25	28.5	1.14	349,202
Cherry	20	12.7	0.64	534
Other Tree Crops	35	22.9	0.65	450
Walnuts	30	35	1.17	10,728
Peaches	11.25	18.6	1.65	2,156
Pistachios	100	22	0.22	3,966
TOTAL				367,035
POTENTIALLY & TECHNICALLY AVAILABLE				367,035
ADJUSTMENT FOR COMPETING USES				-348,683
ECONOMICALLY AVAILABLE				18,352

Biomass Feedstock Competition Analysis

Current Competition

Currently there are very limited markets for forest biomass material generated within the FSA. Existing biomass power generation facilities procuring biomass feedstock in the region that may occasionally source feedstock from the FSA are summarized in Table 16.

Table 16. Facilities Currently Sourcing Biomass Feedstock from the FSA

FACILITY	SCALE (MW)	ANNUAL FEEDSTOCK USAGE (BDT/YEAR)	LOCATION	HAUL DISTANCE FROM MARIPOSA
Akeida Capital	12	96,000	Chowchilla	40
Akeida Capital	12	96,000	El Nido	48
Pacific Ultrapower Chinese Station	20	160,000	Jamestown	53
Sierra Pacific Standard	8	65,000	Standard	60
DTE Stockton	45	380,000	Stockton	107
TOTALS	97	797,000		

Interviews with fuel procurement managers in the region confirmed that very little forest biomass feedstock is currently sourced from the FSA. Only Pacific Ultrapower Chinese Station is currently procuring forest feedstocks that are considered tributary to Jamestown. In addition, the Chinese Station facility is likely to completely curtail operations by 2018 as their power purchase agreement with PG&E terminates.

TSS estimates that between 10,000 and 20,000 BDT of forest-sourced feedstock are currently procured annually from within the FSA as feedstock for existing biomass power plants. Note that none of these existing facilities are held to the SB 1122 forest feedstock guidelines. There will likely be minimal competitive impacts on forest feedstock volume considered economically available for a project at Mariposa because existing biomass power plants have ready access to all forest biomass (are not subject to SB 1122 compliance screens) generated within the FSA.

Potential Competition

There is one proposed community-scale bioenergy facility that may compete for forest feedstock with the Mariposa facility. Known as North Fork Community Power (NFCP), this facility will have the capacity to generate up to 2 MW of power. Table 17 provides detailed information on the NFCP facility.

Table 17. Potential Feedstock Competition

FACILITY	SCALE (MW)	ANNUAL FEEDSTOCK USAGE (BDT/YEAR)	LOCATION	HAUL DISTANCE FROM MARIPOSA
North Fork Community Power	1 to 2	8,000 - 16,000	North Fork	43

The proponents of NFCP have successfully secured a \$4.9 million grant from the California Energy Commission and are likely to commence operations in late 2016. TSS assumes that NFCP will procure between 6,000 and 8,000 BDT per year of forest biomass feedstock material from within the FSA. TSS has accounted for this volume in the competition analysis (removing 16,334 BDT per year) when adjusting the timber harvest residuals and fuels treatment volumes.

Findings

Table 18 summarizes the feedstock by source that is potentially, technically and economically available within the FSA. In order to calculate economically available feedstock volumes, estimates of potentially available quantities were adjusted based on TSS research regarding accessibility, recoverable amounts and competing uses (including market demand). These adjustments provide final estimates of technically and/or economically available biomass feedstock. The largest economically available biomass feedstock source in the Mariposa FSA, at 27,473 BDT/year, is timber harvest residuals. Agricultural and urban sources of feedstock have less availability, with 18,352 BDT/year and 8,410 BDT/year respectively. The primary reason for the notable adjustment of agriculture and urban feedstocks is the relatively significant competing uses for this material (e.g., biomass fuel, firewood, compost).

Table 18. Biomass Feedstock Available within the FSA

SOURCE	POTENTIALLY AVAILABLE (BDT/YEAR)	TECHNICALLY AVAILABLE (BDT/YEAR)	ECONOMICALLY AVAILABLE (BDT/YEAR)
Forest	91,114	43,807	27,473
Urban	146,849	93,830	8,410
Agricultural	367,035	367,035	18,352
TOTALS	604,998	504,671	54,234

A bioenergy facility located at Mariposa will be able to compete more cost effectively for feedstocks located close in to the facility (30-mile and 40-mile radius) due to haul cost advantages. As noted in the Feedstock Cost Analysis, haul costs will average about \$100 per hour for a walking floor trailer.³¹

³¹ Walking floor trailers are required, as there will not be a trailer tipping mechanism at the Mariposa biomass power facility.

Note that forest feedstock sourced from Tuolumne County may need to be delivered using chip trailers less than 30 feet in length (e.g., double trailers) in order to navigate the tight radius curves on Highway 49 between Mariposa and Sonora.³² Alternatively, a stinger steer chip trailer could be used, one similar to the trailer fabricated by the US Forest Service and currently stored at the Bass Lake Ranger District. Lastly, conventional 40-foot trailers could use alternative routes (La Grange/Snelling route) to circumvent the challenging stretch of roadway between Coulterville and Sonora.

SB 1122-compliant forest feedstock considered economically available totals 27,473 BDT per year. Assuming the community-scale bioenergy facility is scaled at 2 MW (maximum generation capacity allowed by SB 1122 is 3 MW) and utilizes 12,800 BDT per year of SB 1122 compliant forest feedstock (80 percent of total feedstock usage), there is a feedstock supply coverage ratio of 2.15:1. The private financial sector typically prefer a feedstock coverage ratio of at least 2:1 as a critical feedstock availability screen for bioenergy project financing.

The CPUC requires that 80 percent (12,800 of 16,000 BDT total usage per year) of the feedstock blend be forest feedstocks (meeting sustainability guidelines). Forest feedstocks are typically the most expensive of the three sources, so it is very likely that the remaining 20% (3,200 BDT per year) of the feedstock blend will be made up of more cost effective urban and agricultural material. If urban and agriculture sourced feedstocks are included in the calculation (26,762 BDT available), then feedstock coverage ratios are as follows:

- Forest feedstock coverage ratio of 2.15:1
- Urban and agricultural feedstock coverage ratio of 8.36:1

³² Cal Trans advisory suggests trailers under 30-foot length are not recommended (July 16, 2015 email correspondence between Armando Soria, Cal Trans Traffic Operations Branch and Mariposa County Supervisor Rosemarie Smallcombe).

FEEDSTOCK COST ANALYSIS

Existing Market Prices

As noted earlier in this report, there are several existing biomass power plants operating in the region (see Table 16). Existing market prices paid by these facilities are summarized in Table 19.

Table 19. Current Biomass Feedstock Market Prices

FEEDSTOCK SOURCE	DELIVERED PRICES TO EXISTING BIOMASS POWER PLANTS	
	LOW RANGE (\$/BDT)	HIGH RANGE (\$/BDT)
Forest	\$32	\$40
Urban	\$24	\$32
Agriculture ³³	\$32	\$38

Costs to Collect, Process and Transport Biomass Feedstocks

Commercial-scale infrastructure to collect, process, and transport biomass material currently exists within the FSA. TSS relied on interviews with local contractors in addition to TSS' past experience to analyze these costs. Table 20 provides results of the cost analysis.

Table 20. Biomass Collection, Processing, Transport Costs and Market Prices

BIOMASS MATERIAL SOURCE	DELIVERED MATERIAL	LOW RANGE (\$/BDT)	HIGH RANGE (\$/BDT)
Timber Harvest Residuals	Chips	\$45	\$60
Fuels Treatments – USFS/BLM/Private	Chips	\$55	\$70
Urban	Chips	\$24	\$30
Agriculture	Chips	\$32	\$38
Local Homeowners (delivering unprocessed clean wood waste)	Cull Logs, Limbs, Construction Debris, Miscellaneous Wood	\$10	\$15

Note that the urban and agricultural source pricing is more reflective of market pricing (not just collection, processing and transport costs). Urban wood processors charge tip fees to receive wood waste, and these tip fees help to offset processing and transport costs. Orchard removal contractors (primary agricultural feedstock suppliers) charge orchard growers service fees (typically ranging from \$100 to \$300 per acre), and these fees offset some of the collection, processing and transport costs.

Following are the assumptions used to calculate the range of feedstock costs.

³³ Orchard removal material.

- No service fees or cost share arrangements are available from public agencies or private landowners to offset costs to collect, process and transport forest feedstocks.
- One-way transport averages 30 miles for biomass feedstocks.
- Forest biomass is collected and processed (chipped) into the truck at the landing at a cost of \$25 to \$40/BDT.
- Haul costs are \$100/hour for a walking floor chip trailer.
- Local homeowners deliver raw wood (limbs, small trees, clean construction wood) with processing (portable chipper or grinder) costs at Mariposa ranging from \$10 to \$15/BDT.
- Delivered costs for urban and agriculture feedstocks are based on current biomass feedstock market prices.³⁴
- Biomass feedstock deliveries average 14 BDT/load to Mariposa.

Note that topography, stand density (pre-treatment), stem size, and road systems all have significant impacts on the costs to collect, process, and transport forest feedstocks. Harvest equipment (e.g., feller bunchers and skidders) does not operate as cost effectively on steep topography (35 percent-plus slope conditions) as on level topography. Forest stands that are considered dense (removal rates of 14 to 20 BDT per acre) allow harvest equipment to operate more efficiently and cost effectively. Forest stands considered less dense (e.g., 8 BDT or less per acre) require more travel time between trees by the feller bunchers and longer distances between biomass bundles for skidders.

As shown in Table 20, the delivered cost of forest feedstock from fuels treatment activities is significant (\$55 to \$70 per BDT). There is potential for cost-share funding (federal and state) from existing programs that are designed to support fuels reduction, forest health improvement, and watershed protection. Programs administered by the USFS, CAL FIRE, and the Natural Resources Conservation Service may provide cost-share funding that reduces the delivered cost of forest feedstocks from fuels treatment activities.

The most cost-effective forest feedstock will be sourced from timber harvest residuals stockpiled at the landing. As a byproduct of commercial timber harvests, this material (limbs, tops) has been harvested and skidded to the landing in conjunction with sawlog harvesting. The current fate of this material is disposal, using open burning as the preferred technique.³⁵ In addition to being the most cost-effective forest feedstock, utilizing this wood waste as biomass feedstock for bioenergy significantly reduces air emissions³⁶ when compared to current pile/burn technique.

Local homeowners generate quantities of limbs and small stems consistent with fuels reduction activities near homes. In addition, due to the recent drought conditions and mountain pine beetle infestation, the greater Mariposa region is experiencing significant tree mortality. TSS recommends that the Mariposa bioenergy facility consider accepting a wide range of woody material that can be stockpiled on site, and a mobile chipper or grinder can be utilized from time to time (e.g., every 60 days) to process this material for use as a feedstock. Not only would the

³⁴ Consistent with delivered feedstock prices paid by commercial scale biomass power facilities in the region.

³⁵ Per discussions with local foresters.

³⁶ Bruce Springsteen, Tom Christofk, Steve Eubanks, Tad Mason, Chris Clavin, and Brett Storey, "Emission Reductions from Woody Biomass Waste for Energy as an Alternative to Open Burning," *Journal of the Air and Waste Management Association*, Volume 61, January 2011, pp. 63-68.

Mariposa facility be providing a community service, these feedstock sources are quite cost effective as part of the overall feedstock blend.

Delivered Price Forecast

The optimized feedstock blend for the Mariposa facility is shown in Table 21 and represents an SB 1122-compliant feedstock mix (80% forest, 20% urban/agriculture). Noting that there is more than enough feedstock to sustain a bioenergy facility scaled at 2 MW, TSS assumed an annual feedstock demand of 16,000 BDT.

Table 21. Optimized Feedstock Blend

SOURCE	VOLUME (BDT/YR)	PERCENT OF TOTAL
Forest	12,800	80%
Urban	2,400	15%
Agriculture	800	5%
TOTALS	16,000	100%

Table 22 provides a five-year biomass feedstock cost forecast for a community-scale bioenergy facility at Mariposa. The MBPG had requested a 10-year forecast, but considering the relatively high number of variables, TSS suggests that a five-year estimate is more relevant. The five-year forecast commences in 2017, as this would likely be the earliest that a community-scale bioenergy facility at Mariposa could attain commercial operations. The starting cost of \$51 per BDT is based on the weighted average of feedstock cost (Table 20) and optimized feedstock blend (Table 21). The \$51 per BDT base price also assumes a forest feedstock blend of 60 percent fuels treatment material and 40 percent timber harvest residuals.

Table 22. Five-Year Feedstock Cost Forecast 2017 to 2021

	2017	2018	2019	2020	2021
Delivered Price	\$51.00	\$48.50	\$48.99	\$49.47	\$49.97

The feedstock cost forecast presented in Table 22 is based on the following assumptions.


- The feedstock supply chain is fully developed with feedstock available from forest-based operations.
- Diesel fuel prices remain under \$4 per gallon through 2017 and then escalate at no more than 1.5 percent per year. Current on-highway diesel fuel prices are at their lowest average price since October 2009,³⁷ but this is not sustainable.
- Labor rates remain stable through 2017, then climb at no more than 2 percent per year.
- The Chinese Station, Rio Bravo Rocklin and Rio Bravo Fresno biomass power generation facilities curtail operations by late 2017 (as current power purchase agreements terminate), causing regional urban and agriculture feedstocks to drop slightly in market value.

³⁷ As noted by the US Department of Energy, Energy Information Administration.

- Biomass feedstock costs escalate at a 1 percent annual rate due to increased diesel fuel and labor costs from 2018 through 2021.

Presented below in Figure 7 is a feedstock supply curve graph that provides a high-level perspective addressing feedstock cost as a function of volume available (driven primarily by transport distance and cost). Please note that feedstock sourcing will change from year to year as the location of feedstock producing operations adjusts to accommodate forest operations, urban wood collection and orchard removal project locations.

Figure 7. Feedstock Supply Curve



FEEDSTOCK PROCUREMENT

Feedstock Specifications

Discussions with the project developers³⁸ confirmed that the technology of choice, thermal gasification, will require feedstock meeting certain specifications for heating value, moisture content and sizing. In order to assure consistent operations at baseload (24/7), it will be important that feedstock meet or exceed these specifications (see Appendix D).

Feedstock Providers

Consistent with SB 1122 guidelines, the primary feedstock utilized at the Mariposa facility will be forest-sourced material. Due to the relatively undeveloped forest biomass market in the region, there are very few local contractors that are equipped to collect, process and deliver forest biomass feedstock. Interviews with local fuel procurement managers and foresters³⁹ confirmed the following commercial-scale contractors are operating in the region.

Table 23. Forest Feedstock Processors

ENTERPRISE	HEADQUARTERS LOCATION	PRINCIPAL	PHONE #
David Wise and Sons	Sonora	David Wise	209.325.5158
Sierra Resource Management	Jamestown	Mike Albrecht	209.984.1146
Bordges Timber	Shingle Springs	Tim Bordges	530.626.7930
Mountain Enterprises	Coloma	Marcos Gomez	530.626.4127
CTL Forest Management	Placerville	Jeff Holland	530.626.0995

Urban-sourced feedstocks will be available from regional transfer stations and local homeowners delivering raw wood to the Mariposa site. Arrangements with the transfer stations to stockpile wood waste on their site for processing several times per year (using portable grinders) will likely be the most cost effective approach. TSS suggests making contact with County Solid Waste Departments to discuss potential wood waste storage and removal. Wood waste material from local homeowners can be stockpiled on site for processing every 60 or 90 days.

Agricultural feedstocks are available primarily in the fall and winter months from commercial orchard removal contractors in the Central Valley. Winter-time delivery of orchard removal material can be timely, as most forest operations will be curtailed due to wet weather conditions. There are a number of orchard removal contractors operating within the FSA. The three most experienced contractors are listed in Table 24.

³⁸ Phoenix Energy, West Biofuels.

³⁹ John Romena, Buena Vista Biomass Power, Tim Tate, Sierra Pacific Industries, Steve Cannon, Foothill Resource Management.

Table 24. Orchard Removal Contractors

ENTERPRISE	HEADQUARTERS LOCATION	PRINCIPAL	PHONE #
G + F Agri Services	Ripon	Randy Fondse	209.599.8911
Lionudakis Firewood	Modesto	Phil Lionudakis	209.838.8150
ALW Enterprises	Fresno	Tim Weaver	559.275.2828

In addition to orchard removal material, agricultural byproducts such as nut shell (e.g., almond, walnut) peach pits, orchard prunings and other agricultural byproducts may be available on a spot purchase basis. Many of these byproducts have high heating value and low moisture content and can be very cost effective.

Feedstock Procurement Contracting

Summarized below are key tasks to consider as part of the early phase feedstock supply chain development process. These tasks are presented in chronological order and apply to all feedstock types. These tasks will take 12 to 18 months to implement.

- Define feedstock specifications (for feedstock procurement agreements) by feedstock type (forest, urban, agriculture). Project developer input will be key. Timing of this task assumes that preferred combustion or gasification technology has been selected by this date. See Appendix D for draft feedstock specification example.
- Draft feedstock procurement agreement templates reviewed by legal staff and select financial institutions. Recommend several procurement contract templates be considered:
 - Short term (<one year in duration)
 - Long term (>two years in duration)
- Commence discussions with US Forest Service (e.g., Stanislaus National Forest) and BLM regarding long-term stewardship contract(s).
- Confirm target locations for fuels treatment/forest restoration projects included in stewardship contract(s).
- Confirm NEPA process progress with US Forest Service and BLM for stewardship contract(s).
- Finalize feedstock procurement agreement templates.
- Create prioritized short list of potential feedstock providers. Commence discussions with top tier suppliers. Use Letters of Intent to confirm indicative pricing and suppliers’ interest to begin negotiations leading to long-term feedstock supply agreements.

- Contact County Solid Waste departments to begin discussions regarding stockpiling of urban wood waste for processing by MBPG supplied contractor.
- Review SB 1122 feedstock monitoring guidelines with CPUC appointed third party. Set up accounting guidelines accordingly.
- Draft long-term feedstock procurement agreements delivered to select feedstock suppliers.
- Finalize long-term feedstock procurement agreements with suppliers. Secure signatures.
- Finalize agreements with County Solid Waste Departments for stockpiling of urban wood.
- Review USFS and BLM stewardship contract template with financial institutions.
- Submit stewardship contract proposal to USFS and/or BLM in response to stewardship project solicitation. MBPG could work with local contractor to provide a shared proposal.
- Finalize stewardship contract(s). Secure signatures.

CONCLUSIONS

This feedstock availability analysis confirms the long-term sustainable availability of sufficient volumes of forest, urban, and agricultural feedstocks to support a 2 MW bioenergy project at Mariposa. Over 54,000 BDT per year of SB 1122 compliant feedstocks (see Table 18) are available with feedstock coverage ratios consistently over 2:1 as summarized below.

- Forest feedstock coverage ratio of 2.15:1
- Urban and agricultural feedstock coverage ratio of 8.36:1

While year one (2017) delivered feedstock cost is estimated to be \$51/BDT, there is opportunity to reduce this cost. US Forest Service and/or BLM service contract fees (\$400 to \$700/acre) may be available to offset a portion of the cost to harvest, collect and process excess forest biomass. AB 32 Cap and Trade funding administered through CAL FIRE and the GHG Reduction Fund may be available to offset some fuels treatment costs. In addition, the overall market demand for woody biomass feedstocks should begin to decline by late 2017, as three commercial scale biomass power generation facilities⁴⁰ with combined biomass fuel usage of over 550,000 BDT per year are likely to curtail operations.

⁴⁰ Chinese Station, Rio Bravo Rocklin, Rio Bravo Fresno.

RECOMMENDATIONS

A community scale bioenergy facility sited at Mariposa would be strategically located in a region that is at significant risk to catastrophic wildfire events. Concerted efforts on the part of public land managers, private landowners and natural resource managers are currently generating, and will continue to generate, significant volumes of excess forest biomass material suitable for use as feedstock. Much of this excess material is currently piled and burned or chipped and scattered on site. Diversion of forest biomass material for use in a controlled combustion or gasification facility will mitigate air emissions from pile and burn activities while providing feedstock for renewable energy generation as well as sustain local economic development, such as local family wage jobs.

Now that long-term, sustainable quantities of SB 1122 compliant feedstock are confirmed to be available, the Mariposa County Fire Safe Council and the Mariposa Biomass Project Group should consider next steps in the path towards development of a 2 MW bioenergy facility. TSS recommends the following tasks as key next steps.

- Convene a community meeting to discuss:
 - Siting of a bioenergy facility in the Mariposa area
 - Storage of drought and bug killed logs
 - Results of this feedstock availability analysis
 - Next steps
- Issue a Request for Proposals for a feasibility study for a bioenergy project at Mariposa. The feasibility study would address:
 - Review of optimized site locations (if a preferred site has not been selected)
 - Bioenergy technology review and selection
 - Environmental and regulatory compliance review resulting in a Permitting Plan
 - Economic and financial feasibility analysis
 - Recommendations and next steps
 - Draft and final feasibility study report
- Monitor SB 1122 proceedings at the CA Public Utility Commission.
- Monitor grant funding opportunities that will support ongoing project development efforts.
- Continue to maintain the Mariposa Biomass Project website, as this is a key tool in support of community outreach.

Appendix A. Senate Bill 1122

Senate Bill No. 1122

Passed the Senate August 31, 2012

Secretary of the Senate

Passed the Assembly August 30, 2012

Chief Clerk of the Assembly

This bill was received by the Governor this _____ day
of _____, 2012, at _____ o'clock ____ M.

Private Secretary of the Governor

CHAPTER _____

An act to amend Section 399.20 of the Public Utilities Code, relating to energy.

LEGISLATIVE COUNSEL'S DIGEST

SB 1122, Rubio. Energy: renewable bioenergy projects.

Under existing law, the Public Utilities Commission has regulatory authority over public utilities. Existing law requires every electrical corporation to file with the commission a standard tariff for electricity generated by an electric generation facility, as defined, that qualifies for the tariff, is owned and operated by a retail customer of the electrical corporation, and is located within the service territory of, and developed to sell electricity to, the electrical corporation. Existing law requires an electrical corporation to make the tariff available to the owner or operator of an electric generation facility within the service territory of the electrical corporation, as specified, until the electrical corporation meets its proportionate share of a statewide cap of 750 megawatts, as specified.

This bill would require the commission, by June 1, 2013, to direct the electrical corporations to collectively procure at least 250 megawatts of cumulative rated generating capacity from developers of bioenergy projects that commence operation on or after June 1, 2013. The bill would require the commission, for each electrical corporation, to allocate shares of the additional 250 megawatts based on the ratio of each electrical corporation's peak demand compared to the total statewide peak demand. The bill would require the commission to allocate those 250 megawatts to electrical corporations from specified categories of bioenergy project types, with specified portions of that 250 megawatts to be allocated from each category. The bill would require the commission to encourage gas and electrical corporations to develop and offer programs and services to facilitate development of in-state biogas for a broad range of purposes. The bill would authorize the commission, in consultation with specified state agencies, if it finds that the allocations of those 250 megawatts are not

appropriate, to reallocate those 250 megawatts among those categories.

The people of the State of California do enact as follows:

SECTION 1. Section 399.20 of the Public Utilities Code is amended to read:

399.20. (a) It is the policy of this state and the intent of the Legislature to encourage electrical generation from eligible renewable energy resources.

(b) As used in this section, “electric generation facility” means an electric generation facility located within the service territory of, and developed to sell electricity to, an electrical corporation that meets all of the following criteria:

(1) Has an effective capacity of not more than three megawatts.

(2) Is interconnected and operates in parallel with the electrical transmission and distribution grid.

(3) Is strategically located and interconnected to the electrical transmission and distribution grid in a manner that optimizes the deliverability of electricity generated at the facility to load centers.

(4) Is an eligible renewable energy resource.

(c) Every electrical corporation shall file with the commission a standard tariff for electricity purchased from an electric generation facility. The commission may modify or adjust the requirements of this section for any electrical corporation with less than 100,000 service connections, as individual circumstances merit.

(d) (1) The tariff shall provide for payment for every kilowatthour of electricity purchased from an electric generation facility for a period of 10, 15, or 20 years, as authorized by the commission. The payment shall be the market price determined by the commission pursuant to paragraph (2) and shall include all current and anticipated environmental compliance costs, including, but not limited to, mitigation of emissions of greenhouse gases and air pollution offsets associated with the operation of new generating facilities in the local air pollution control or air quality management district where the electric generation facility is located.

(2) The commission shall establish a methodology to determine the market price of electricity for terms corresponding to the length

of contracts with an electric generation facility, in consideration of the following:

(A) The long-term market price of electricity for fixed price contracts, determined pursuant to an electrical corporation's general procurement activities as authorized by the commission.

(B) The long-term ownership, operating, and fixed-price fuel costs associated with fixed-price electricity from new generating facilities.

(C) The value of different electricity products including baseload, peaking, and as-available electricity.

(3) The commission may adjust the payment rate to reflect the value of every kilowatthour of electricity generated on a time-of-delivery basis.

(4) The commission shall ensure, with respect to rates and charges, that ratepayers that do not receive service pursuant to the tariff are indifferent to whether a ratepayer with an electric generation facility receives service pursuant to the tariff.

(e) An electrical corporation shall provide expedited interconnection procedures to an electric generation facility located on a distribution circuit that generates electricity at a time and in a manner so as to offset the peak demand on the distribution circuit, if the electrical corporation determines that the electric generation facility will not adversely affect the distribution grid. The commission shall consider and may establish a value for an electric generation facility located on a distribution circuit that generates electricity at a time and in a manner so as to offset the peak demand on the distribution circuit.

(f) (1) An electrical corporation shall make the tariff available to the owner or operator of an electric generation facility within the service territory of the electrical corporation, upon request, on a first-come-first-served basis, until the electrical corporation meets its proportionate share of a statewide cap of 750 megawatts cumulative rated generation capacity served under this section and Section 387.6. The proportionate share shall be calculated based on the ratio of the electrical corporation's peak demand compared to the total statewide peak demand.

(2) By June 1, 2013, the commission shall, in addition to the 750 megawatts identified in paragraph (1), direct the electrical corporations to collectively procure at least 250 megawatts of cumulative rated generating capacity from developers of bioenergy

projects that commence operation on or after June 1, 2013. The commission shall, for each electrical corporation, allocate shares of the additional 250 megawatts based on the ratio of each electrical corporation's peak demand compared to the total statewide peak demand. In implementing this paragraph, the commission shall do all of the following:

(A) Allocate the 250 megawatts identified in this paragraph among the electrical corporations based on the following categories:

(i) For biogas from wastewater treatment, municipal organic waste diversion, food processing, and codigestion, 110 megawatts.

(ii) For dairy and other agricultural bioenergy, 90 megawatts.

(iii) For bioenergy using byproducts of sustainable forest management, 50 megawatts. Allocations under this category shall be determined based on the proportion of bioenergy that sustainable forest management providers derive from sustainable forest management in fire threat treatment areas, as designated by the Department of Forestry and Fire Protection.

(B) Direct the electrical corporations to develop standard contract terms and conditions that reflect the operational characteristics of the projects, and to provide a streamlined contracting process.

(C) Coordinate, to the maximum extent feasible, any incentive or subsidy programs for bioenergy with the agencies listed in subparagraph (A) of paragraph (3) in order to provide maximum benefits to ratepayers and to ensure that incentives are used to reduce contract prices.

(D) The commission shall encourage gas and electrical corporations to develop and offer programs and services to facilitate development of in-state biogas for a broad range of purposes.

(3) (A) The commission, in consultation with the State Energy Resources Conservation and Development Commission, the State Air Resources Board, the Department of Forestry and Fire Protection, the Department of Food and Agriculture, and the Department of Resources Recycling and Recovery, may review the allocations of the 250 additional megawatts identified in paragraph (2) to determine if those allocations are appropriate.

(B) If the commission finds that the allocations of the 250 additional megawatts identified in paragraph (2) are not appropriate, the commission may reallocate the 250 megawatts

among the categories established in subparagraph (A) of paragraph (2).

(4) For the purposes of this subdivision, “bioenergy” means biogas and biomass.

(g) The electrical corporation may make the terms of the tariff available to owners and operators of an electric generation facility in the form of a standard contract subject to commission approval.

(h) Every kilowatthour of electricity purchased from an electric generation facility shall count toward meeting the electrical corporation’s renewables portfolio standard annual procurement targets for purposes of paragraph (1) of subdivision (b) of Section 399.15.

(i) The physical generating capacity of an electric generation facility shall count toward the electrical corporation’s resource adequacy requirement for purposes of Section 380.

(j) (1) The commission shall establish performance standards for any electric generation facility that has a capacity greater than one megawatt to ensure that those facilities are constructed, operated, and maintained to generate the expected annual net production of electricity and do not impact system reliability.

(2) The commission may reduce the three megawatt capacity limitation of paragraph (1) of subdivision (b) if the commission finds that a reduced capacity limitation is necessary to maintain system reliability within that electrical corporation’s service territory.

(k) (1) Any owner or operator of an electric generation facility that received ratepayer-funded incentives in accordance with Section 379.6 of this code, or with Section 25782 of the Public Resources Code, and participated in a net metering program pursuant to Sections 2827, 2827.9, and 2827.10 of this code prior to January 1, 2010, shall be eligible for a tariff or standard contract filed by an electrical corporation pursuant to this section.

(2) In establishing the tariffs or standard contracts pursuant to this section, the commission shall consider ratepayer-funded incentive payments previously received by the generation facility pursuant to Section 379.6 of this code or Section 25782 of the Public Resources Code. The commission shall require reimbursement of any funds received from these incentive programs to an electric generation facility, in order for that facility to be eligible for a tariff or standard contract filed by an electrical

corporation pursuant to this section, unless the commission determines ratepayers have received sufficient value from the incentives provided to the facility based on how long the project has been in operation and the amount of renewable electricity previously generated by the facility.

(3) A customer that receives service under a tariff or contract approved by the commission pursuant to this section is not eligible to participate in any net metering program.

(l) An owner or operator of an electric generation facility electing to receive service under a tariff or contract approved by the commission shall continue to receive service under the tariff or contract until either of the following occurs:

(1) The owner or operator of an electric generation facility no longer meets the eligibility requirements for receiving service pursuant to the tariff or contract.

(2) The period of service established by the commission pursuant to subdivision (d) is completed.

(m) Within 10 days of receipt of a request for a tariff pursuant to this section from an owner or operator of an electric generation facility, the electrical corporation that receives the request shall post a copy of the request on its Internet Web site. The information posted on the Internet Web site shall include the name of the city in which the facility is located, but information that is proprietary and confidential, including, but not limited to, address information beyond the name of the city in which the facility is located, shall be redacted.

(n) An electrical corporation may deny a tariff request pursuant to this section if the electrical corporation makes any of the following findings:

(1) The electric generation facility does not meet the requirements of this section.

(2) The transmission or distribution grid that would serve as the point of interconnection is inadequate.

(3) The electric generation facility does not meet all applicable state and local laws and building standards and utility interconnection requirements.

(4) The aggregate of all electric generating facilities on a distribution circuit would adversely impact utility operation and load restoration efforts of the distribution system.

(o) Upon receiving a notice of denial from an electrical corporation, the owner or operator of the electric generation facility denied a tariff pursuant to this section shall have the right to appeal that decision to the commission.

(p) In order to ensure the safety and reliability of electric generation facilities, the owner of an electric generation facility receiving a tariff pursuant to this section shall provide an inspection and maintenance report to the electrical corporation at least once every other year. The inspection and maintenance report shall be prepared at the owner's or operator's expense by a California-licensed contractor who is not the owner or operator of the electric generation facility. A California-licensed electrician shall perform the inspection of the electrical portion of the generation facility.

(q) The contract between the electric generation facility receiving the tariff and the electrical corporation shall contain provisions that ensure that construction of the electric generating facility complies with all applicable state and local laws and building standards, and utility interconnection requirements.

(r) (1) All construction and installation of facilities of the electrical corporation, including at the point of the output meter or at the transmission or distribution grid, shall be performed only by that electrical corporation.

(2) All interconnection facilities installed on the electrical corporation's side of the transfer point for electricity between the electrical corporation and the electrical conductors of the electric generation facility shall be owned, operated, and maintained only by the electrical corporation. The ownership, installation, operation, reading, and testing of revenue metering equipment for electric generating facilities shall only be performed by the electrical corporation.

Approved _____, 2012

Governor

Appendix B. SB 1122 Forest Derived Biomass Supply Eligibility

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39

Forest Derived Biomass Supply Eligibility under SECTION 1. Section 399.20 of the Public Utilities Code

Background

At the request of the Energy Division staff at the California Public Utilities Commission (CPUC), the Department of Forestry and Fire Protection (CAL FIRE), with the assistance and facilitation of Sierra Nevada Conservancy and a variety of other stakeholders, this whitepaper was prepared to assist in determining fuel sourcing bioenergy production eligibility criteria for “byproducts of sustainable forest management” consistent with the term as used in Public Utilities Code Section 399.20 (f)(2)(A)(iii). The intent of this whitepaper is to: 1) propose a definition of “sustainable forest management” and 2) provide recommendations for a process for certification, verification, and monitoring to be utilized by sellers and purchasers of eligible by-products to verify that biomass feedstocks utilized by a particular facility are supplied in a manner consistent with the statutory provision for sustainable forest management Section 399.20.

Since submission of the whitepaper in late 2013, staff from CAL FIRE and Board of Forestry and Fire Protection (BOF) identified the need for some changes in the original document. Changes have been made to ensure that the objectives of SB 1122 are achieved, while recognizing the current adequacy of regulations governing commercial timber operations under the Z’berg-Nejedly Forest Practice Act and BOF forest practice regulations.

Issue 1-Recommendations for Defining of “Byproducts of Sustainable Forest Management”

SB 1122 directs 50Mw of bioenergy using byproducts of sustainable forest management allocated based on the proportion of bioenergy derived from Fire Threat Treatment Areas as designated by the Department of Forestry and Fire Protection. The current Fire Threat Treatment Area designation by the Department was completed in 2005 and reflects an index of expected fire frequency and fire behavior based upon fuel ranking and anticipated fire frequency (Sethi, et.al, 2005). Estimates of bioenergy which are to be used for allocation purposes from Fire Threat Treatment Areas were made based on datasets which reflected inventories and vegetation structure on forested lands and shrublands.

The categories of potential bioenergy sourcing were adapted from the Public Interest Energy Resources publication titled “An assessment of biomass resources in California” published in 2004. Categories included in the assessment for development of biomass and bioenergy estimates included 1) logging slash, 2) forest thinning, 3) mill wastes, and 4) shrub. These categorizations are sufficient to support an allocation of the 50Mw to the investor owned utilities (IOUs).

However, given the assumptions utilized to develop the overall estimates and the scale at which the bioenergy estimates were developed, the Department concurs with the Black and Veatch draft consultant report (April, 2013) that the resource potential and data assumptions for forest materials that would be considered sustainable at the project level needs to be refined for the purposes of determining whether a particular project which supplies by-products, meets the sustainable forest management criteria.

40 The process for determining sustainable forest management byproduct eligibility under the provisions of
41 SB 1122 relies on the definition of sustainable forestry in part 2 of the Society of American Foresters
42 definition (Appendix A) as well as the federal level defined in FS-979 (Appendix B) and a series of public
43 workshops which were held to refine these broad definitions for the purposes of determining byproduct
44 eligibility under SB 1122. To meet eligibility requirements all biomass feedstocks that are used within
45 this program must be derived from projects that are conducted in conformance with local, state, and
46 federal policy, statutes and regulation, including CEQA and the National Environmental Policy Act
47 (NEPA). This whitepaper, however, does not support requiring CEQA or NEPA review on projects that
48 would not have otherwise been required to be reviewed under those laws.

49 The workshop process was planned and facilitated to assist in refining and integrating the key elements
50 of the two definitions of forest sustainability applicable to the determination of feedstock eligibility for
51 purposes of compliance with PUC Section 399.20. This five month process included stakeholders from
52 the environmental, community, governmental and private industry sectors. Numerous background
53 materials were prepared and circulated, three workshops were held to facilitate input and build
54 consensus and multiple drafts of this white paper were circulated for comment. This paper reflects a
55 balance of viewpoints and attempts to ensure that the majority of biomass feedstock is derived from
56 sustainable forest management practices while providing the biomass energy operators enough
57 flexibility to be able to use diverse sources to ensure year-round reliability.

58 Environmental stakeholders expressed concerns focused on the potential for markets for biomass
59 materials to lead to utilization of components of existing vegetation types which have not been
60 traditionally utilized at a pace and scale that would not be sustainable over time. This concern also
61 mirrors concerns raised in literature review including a comprehensive literature review done by
62 Stewart et. al. (July, 2011).

63 Paraphrasing Stewart, et. al. the structural stand components most likely to be harvested or
64 manipulated during woody biomass operations include:

- 65 1. Dead or downed wood (pre-existing) and harvest generated slash,
- 66 2. Understory shrub, herbaceous plants and non-merchantable trees,
- 67 3. Wildlife structural trees (decaying live trees, cavity trees, mast producing trees, etc.)

68 Stewart further notes:

69 "The maintenance recruitment of structural elements such as large tree and snags, logs, and
70 coarse woody debris that would otherwise not be replaced under an intensive biomass
71 harvesting regime is an issue of critical concern for biodiversity and food webs related to these
72 elements."

73 There was general concurrence from the workshop participants regarding these key areas and
74 recognition that approaches to evaluating the potential impacts of a proposed forest management vary
75 somewhat between federal, private, and state ownerships both in terms of environmental permitting
76 requirements, review, approval, implementation, inspections, enforcement, etc. Furthermore, the
77 literature reviewed as part of this process did not make specific recommendations on prescriptive
78 retention standards.

79 There was also general concurrence that there be some certainty for supply of by-products and that the
80 process for verifying that by-products were eligible be kept as simple and straightforward as possible.

81

82 **Existing California Sustainable Forest Management Regulatory and Management Framework for Non-**
83 **federal and Federal lands.**

84 Forest management activities on federal, state and private ownerships in California, that could provide
85 biomass to 3Mw or less electric generation facilities as defined in Section 399.20(b), are subject to
86 numerous statutes and regulation.

87 Existing Regulatory Framework for Non-federal Lands - Forest management activities conducted on
88 state and private forest ownerships, meeting the statutory definition of *timberland*, involving the barter
89 or sale of biomass byproducts, is subject to regulation under the provisions of the Z-berg-Nejedly Forest
90 Practice Act (Division 4, Chapter 8, Public Resources Code) and associated regulations under Title 14,
91 California Code of Regulations, Chapter 4. The Public Resources Code and its associated regulations
92 apply to activities that include a wide range of prescriptive standards designed to protect water quality,
93 wildlife habitat, fisheries habitat, soils productivity, archaeological resources, aesthetics, and forest
94 productivity. Landowners with more than 50,000 acres of forestland are required by regulation to
95 demonstrate how their planned management activities will meet long-term sustained yield objectives.

96 Private forest land owners with less than 2,500 acres of timberland are eligible to submit a Non-
97 industrial Timber Management Plan which outlines the long term management strategy for the
98 property. Once approved through a multi-agency review, the landowner can conduct timber operations
99 under a Notice of Timber Operations. Non-industrial Timber Management Plans have a core component
100 that requires an assessment of long-term sustained yield based on an uneven-age silvicultural
101 prescription. The practice of uneven aged management requires demonstration of natural regeneration
102 and the maintenance of a balanced forest stand structure. State and private landowners may also
103 conduct timber harvesting operations designed to address fuel management, including biomass
104 harvesting, under a variety of exemptions and emergency notice provisions.

105 It is also anticipated that forest management activities that will generate biomass from private or state
106 forest landownerships that do not meet the definition of timberland, under the Z'berg-Nejedley Forest
107 Practice Act, will be eligible. These lands would typically not support a stand of commercial tree species,
108 but may still support other non-commercial tree species or other woody vegetation. While these
109 projects are not subject to regulation under the Forest Practice Act, they would generally fall under the
110 provisions of the California Environmental Quality Act (CEQA). Therefore, the types of forest
111 management activities that generate biomass feedstocks from most forest fuel hazard reduction
112 activities will fall within the definition of sustainable forest management given their alignment with
113 subpart (f) of the attached definition of sustainable forestry endorsed by the Society of American
114 Foresters (Appendix A), as well as by meeting the intent of SB 1122. As such, these feedstocks will be
115 classified as eligible.

116 Existing Regulatory Framework for Federal Lands - Federal policy for sustainability activities on National
117 Forest Lands is described in the National Forest Management Act of 1976 (P.L.94-588). National Forests
118 are required to prepare Forest and Resource Land Management Plans to guide how forests are managed
119 and to guide design of project level activities consistent with 36 CFR 219. The first priority under 36 CFR
120 219.2 is to maintain or restore ecological sustainability of national forests to provide for a wide variety
121 of uses, values, products and services and to conform to all applicable environmental laws and
122 regulations. Additional federal policy on sustainability is outlined in the *National Report on Sustainable*
123 *Forests—2010* (FS 979). Current guidance regarding management activities on federal lands in the

124 National Forest System in California emphasize application of restoration principles identified in General
125 Technical Report (GTR)-220 (North, et.al., 2009) with management guidance provided in GTR-237, titled
126 *Managing Sierra Nevada Forests* (North, 2012).

127 **Biomass Utilization and Sustainable Forest Management**

128 A number of authors have recognized the clear benefits of reducing density of vegetation, particularly
129 on dry forest types to achieve numerous goals including reducing impacts associated with fire,
130 improving forest health, improving resilience of forests in light of anticipated climate change, and
131 maintaining sustainable carbon stocks and sequestration capacity of forested landscapes (Naeem, et. al.
132 1999, Aber, et. al., 2000, Franklin and Johnson, 2013, Forest Guild 2013, Franklin and Johnson, 2012). In
133 addition, reducing density of vegetation while maintaining important forest structure elements like
134 snags, down woody debris and native oaks often increase forest structural diversity and enhance wildlife
135 habitats (Spies and Franklin, 1991, Hayes et al., 1997), and increase overall wildlife and native plant
136 biodiversity at both the project and landscape scale (Hayes et al., 2003, Rupp et al. 2012, Verschuyt et al.
137 2011, Zwolak, 2009).

138 Markets for biomass feedstocks generated from forested landscapes in California have generally been
139 confined to those areas in close proximity to existing biomass facilities. It is anticipated that build out of
140 50 new Mw of capacity under the provisions of Public Utilities Section 399.20 will expand existing
141 markets for biomass feedstocks.

142 **Sustainable Forest Management Definition Recommendations for Purposes of Determining Byproduct 143 Eligibility**

144 While the Department recognizes that timber operations on private timberlands must address sustained
145 yield, sustainable forest management practices within the context of PUC Section 399.20 encompasses a
146 broader set of criteria and includes acreage in federal ownership. Given the emphasis of SB 1122 on fire
147 threat treatment linked to sustainable forest management activities and the input from workshop
148 participants, the Department recommends that CPUC staff focus on utilization of the definition
149 developed by the Society of American Foresters as a basis for determining sustainable forest
150 management. Further, the Department recommends that eligible project types for the purposes of
151 determining byproduct eligibility focus on 1) projects that incorporates the specific element in the SAF
152 definition associated with maintenance of long term socioeconomic benefits associated with public
153 safety, jobs, air quality, and economic benefits fuel treatment will provide if markets are found for by-
154 products of fuel treatments, [Paraphrase of SAF definition subpart 2(f)] as well as, 2) projects that
155 maintains biodiversity, productivity, regeneration capacity, vitality and potential to fulfill relevant
156 ecological, economic, and social functions[Paraphrase of SAF definition subpart 2].

157 Specifically, the Department recommends that CPUC staff consider the following definition of
158 **sustainable forest management** for purposes of determining eligibility of by-products—

159 *Qualifying byproducts from sustainable forest management include materials derived from*
160 *projects that are conducted to reduce fuels which pose a threat to public and the environment in*
161 *an around communities as well as projects which can be demonstrated to contribute to*
162 *restoration of forests, enhance the resilience of forests through reduction in fire threat,*
163 *contribute to restoration of unique forest habitats or maintains or restores forest biodiversity,*
164 *productivity and regeneration capacity.*

165

166

Issue 2-Verification, Certification, and Monitoring of Feedstock Eligibility

167 Consistent with the above definition, to meet the sustainable forest management eligibility fuel sourcing
168 criteria the owner or operator must ensure that biomass feedstock from any project is sourced from one
169 or more of the following project types and that, where appropriate, a third-party verification process
170 addresses the key elements and gaps related to sustainable forest management risk associated with
171 biomass operations identified by Stewart and others. The key elements to be evaluated are listed in
172 appendix C-2:

Eligible Byproduct Sources:

174 I. **Fire Threat Reduction** - biomass feedstock which originates from fuel reduction activities
175 identified in a fire plan approved by CAL FIRE or other appropriate state, local or federal agency.
176 On federal lands this includes fuel reduction activities approved under 36 CFR 220.6(e)(6)ii and
177 (12) thru (14).

178

179 II. **Fire Safe Clearance Activities** - biomass feedstock originating from fuel reduction activities
180 conducted to comply with PRC Sections 4290 and 4291. This would include biomass feedstocks
181 from timber operations conducted in conformance with 14 CCR 1038(c) (150' Fuel Reduction
182 Exemption) as well as projects that fall under 14 CCR 1052.4 (Emergency for Fuel Hazard
183 Reduction), 14 CCR 1051.3-1051.7 (Modified THP for Fuel Hazard Reduction), and 14 CCR 1038(i)
184 (Forest Fire Prevention Exemption), and categorical exclusions on federal lands approved under
185 36 CFR 220.6(e)(6)ii and (12)-(14).

186

187 III. **Infrastructure Clearance Projects** - biomass feedstock derived from fuel reduction activities
188 undertaken by or on behalf of a utility or local, state or federal agency for the purposes of
189 protecting infrastructure including but not limited to: power lines, poles, towers, substations,
190 switch yards, material storage areas, construction camps, roads, railways, etc. This includes
191 timber operations conducted pursuant to 14 CCR 1104.1(b),(c),(d),(e),(f) &(g).

192

193 IV. **Other Sustainable Forest Management** – biomass feedstock derived from sustainable forest
194 management activities that accomplish one or more of the following: 1) forest management
195 applications that maintain biodiversity, productivity, and regeneration capacity of forests in
196 support of ecological, economic and social needs, 2) contributes to forest restoration and
197 ecosystem sustainability, 3) reduces fire threat through removal of surface and ladder fuels to
198 reduce the likelihood of active crown fire and/or surface fire intensity that would result in
199 excessive levels of mortality and loss of forest cover or, 4) contributes to restoration of unique
200 habitats within forested landscapes.

201

202 It is recommended by the Department that by-products which do not meet the criteria listed above
203 would not be eligible by-products of sustainable forest management. Based on input from the
204 workshop participants, it was recognized that some flexibility be provided to producers relative to mix of
205 fuel sources and that some provision be provided to allow a producer to utilize material sourced from
206 projects that would not meet the eligibility criteria listed above. To accommodate this need for some
207 supply flexibility the Department recommends that CPUC staff consider allowances for up to 20% of the
208 by-products be sourced from “other” sources as described below.

209

210 **Other Eligible Supply Sources:** Eligible byproducts from this category include the following:

- 211 i. *biomass feedstocks derived from other forest management activities that fail to meet 12*
212 *out of 15 of the eligibility criteria in the checklist found in Appendix C-1 and C-2.*
- 213
- 214 ii. *biomass feedstocks that will be used at the facilities from "other" waste streams identified*
215 *in SB 1122*

216

217 **Establishing the Basis for and Use of Eligibility Criteria**

218

219 It is recommended that by-products from projects which fall into the Fuel Reduction, Fire Safe
220 Clearance, and Infrastructure Categories as defined above (i, ii and iii) be presumed to be eligible and
221 would not be required to fill out the eligibility criteria form in Appendix C-1 and C-2. These projects will,
222 however, need to submit a certification form (Appendix D) and be compliant with other applicable
223 federal, state and local laws.

224

225 With some exceptions, as noted below, forest management activities not associated with the above
226 referenced categories are required to fill out the eligibility form in Appendix C-1 and C-2 to determine if
227 the biomass to be generated by the project is eligible and meets the criteria of Sustainable Forest
228 Management Practices for the purposes of SB 1122.

229

230 Evaluations, completed by a Registered Professional Forester or appropriate federal officer, with
231 exceptions noted herein, must be done on a project-by-project basis upon an assessment of the
232 applicable management practices.

233 *Evaluation of biomass supply eligibility from by-products of sustainable forest management for federal*
234 *projects* - Federal projects which generate biomass on National Forest System Lands or other federally
235 owned or managed lands which incorporate management principles identified in GTR-220 and GTR-237
236 will generally be eligible as being sourced from Sustainable Forest Management. To document the
237 consistency of a specific project with the restoration principles in the GTR guidance document, the
238 appropriate Forest Officer or agency official will utilize the eligibility form to determine whether biomass
239 feedstock meets sustainability criteria and can be certified as a by-product of sustainable forest
240 management consistent with Section 399.20. The Forest Biomass Sustainability Byproduct Eligibility
241 Form is used to help evaluate the project to determine and document if byproducts from a forest
242 management project are eligible as a sustainable forest management source.

243 *Evaluation of biomass supply eligibility from by-products of sustainable forest management from*
244 *projects subject to regulation under the Z'Berg-Nejedley Forest Practice Act* - For timber harvesting
245 conducted on state and private timberlands, removal of biomass material for sale constitutes a
246 commercial activity and is subject to regulation under the Forest Practice Act. Current forest practice
247 rules generally do not have prescriptive regulatory requirements specifically addressing biomass
248 harvesting because the low volume harvesting of small woody material (tree tops, branches, slash from
249 logging operations, and small sapling/pole sized conifers and hardwoods) has not been viewed as an
250 activity likely to result in significant adverse or cumulative impacts. CAL FIRE would expect that biomass
251 harvesting, incidental to the more common types of commercial timber operations, not to rise to the
252 level of potential significant adverse impacts, and therefore the requirements of CEQA (disclosure,
253 evaluation and mitigation) would not be triggered. However, in cases where a fair argument for

254 significant adverse impacts is raised, CAL FIRE would expect the registered professional forester
255 preparing the timber harvesting plan (THP) to address those impacts in sufficient detail to mitigate the
256 impacts.

257 Since the Board of Forestry and Fire Protection's forest practice rules are not tied to the proposed
258 definition of 'sustainable forest management' as described in Appendix A of this document, it is
259 recommended that CPUC should recognize the need for a separate governance process for biomass
260 harvesting operations that would be subject to Section 399.20 of the Public Utilities Code. CAL FIRE
261 does not view the two processes in conflict (enforcement of the Forest Practice Act by the department
262 and enforcement of Section 399.20 by PUC). THPs are intended to address significant adverse impacts,
263 and not necessarily intended to address the broader definition of sustainable forest management as
264 described in this whitepaper. While the Forest Practice Regulations (FPRs) governing THPs generally
265 address "the stewardship and use of forests and forest lands in a way, and at a rate, that maintains their
266 [biodiversity](#), [productivity](#), [regeneration](#) capacity, vitality, and potential to fulfill, now and in the future,
267 relevant ecological, economic, and social functions at local, national, and global levels", the FPRs were
268 not intended for the type of specificity required in determining byproduct eligibility under SB 1122 .
269 The FPRs do not explicitly mention stewarding lands to fulfill economic and social functions at a local or
270 national level. Nonetheless, the department and many participants in the aforementioned workshops
271 deemed this to be an important consideration.

272 A checklist approach for certification has been provided in Appendix C-2; however, this should be
273 viewed as a recommendation, where the specific content could be modified or edited by PUC as
274 improvements, clarifications, or new issues are identified.

275 For each of the elements to be addressed in Appendix C-2 it is recommended that the seller of biomass
276 describe the planned operations and potential positive and/or negative impacts to each resource issue
277 to be addressed in Appendix C. Review of concepts from GTR 220, GTR 237, CEC-500-2011-036,
278 (Stewart, et.al), and GTR 292 (Jain et. al., 2012) are recommended as important references to assist in
279 assessing and addressing the sustainability of proposed operations where biomass removals are
280 proposed to achieve forest management, forest restoration, and/or fire threat reduction objectives.

281 Utilization of this approach will facilitate environmental review by third party verifiers, as well as
282 completion of Appendix C-2 (Forest Biomass Sustainability Byproduct Eligibility Form) for determination
283 of whether the biomass generated by the project meets eligible byproducts under PUC Section 399.20.

284 For ownerships with approved Sustained-Yield Plans or Programmatic Timber Environmental Impact
285 Reports, harvest documents may rely on the assessment of sustainability contained in the programmatic
286 documents to the extent that those elements are addressed and summarize the operational elements
287 applicable to any project under the appropriate area in Appendix C-2.

288 Exceptions to the requirement to apply Appendix C-1 and C-2 for Biomass Produced During Restoration
289 Projects and Small Projects: The following project types are assumed to meet the sustainable forest
290 management criteria or small project size and are recommended to be exempted from completing the
291 Forest Biomass Sustainability Byproduct Eligibility Form (Appendix C-2).

292 1) Sustainable forest management projects implemented on state, federal, and private ownership
293 which involve meadow restoration, restoration of wetlands, restoration of aspen and other
294 similar activities which are undertaken for restoration purposes and are subject to
295 environmental review under CEQA or NEPA.

- 296 2) Operations conducted pursuant to an approved Non-Industrial Timber Management Plan where
297 the plan or amendment to the plan evaluates and provides for a discussion of intended biomass
298 operations and byproducts that may have potential significant adverse impacts, evaluates
299 potential significant impacts, and mitigates potential significant impacts.
- 300 3) Operations conducted pursuant to an approved Timber Harvesting Plan or Modified Timber
301 Harvesting Plans on non-industrial timberland ownerships where the landowner is not primarily
302 engaged in the manufacture of wood products and where the approved plan or amendment to
303 the plan evaluates and provides for a discussion of intended biomass operations and byproducts
304 that may have potential significant adverse impacts, evaluates potential significant impacts, and
305 mitigates potential significant impacts.
- 306 4) Operations with a total estimated volume of 250 bone dry tons or less.

307 These projects will need to submit a certification form (Appendix D) and be compliant with other
308 applicable federal, state and local laws.
309

310 **Certification, Verification and Monitoring to Determine Biomass/Byproduct Eligibility Requirements**

311 Certification: For projects on private timberlands, completion of the "Forest Biomass Sustainability
312 Byproduct Form (Appendix C-2)" by a Registered Professional Forester as defined in Title 14 of the
313 California Code of Regulations, Chapter 10 is recommended. Representations of the Registered
314 Professional Forester in completion of the form and certification will be subject to the disciplinary
315 guidelines as described in Public Resources Code Sections 774-779 and the provisions of the California
316 Code of Regulations, Chapter 10, Sections 1612-1614.

317 For federal projects certification will be completed by the appropriate federal officer with authority to
318 approve project decisions pursuant to Forest Service Manual 2400 and all subtitles. Representatives
319 with responsibility for accuracy of the certification are subject to personnel procedures outlined in Code
320 of Federal Regulations Title 5, Subpart 430, Performance Management.

321 Certification by the Registered Professional Forester or appropriate federal representative should be
322 completed utilizing the certification form included in Appendix D. It is expected that each project will
323 have an identifier, map, certification relative to fuel source and an estimated volume by fuel source
324 category or categories.

325 Verification: The owner/operator of the bioenergy facility will be responsible for verifying that the fuel
326 has been appropriately certified. Trip tickets and loads origin will demonstrate a chain-of-custody to the
327 project source. Information shall be available at the bioenergy facility for audit.
328

329 Monitoring for Compliance with Eligibility Criteria: It is recommended that a random audit procedure be
330 established to ensure compliance with program requirements. The consequences for failure to comply
331 should be discussed and developed collaboratively between the CPUC, appropriate federal agencies and
332 CAL FIRE.
333

334 Recommended Audit Period and Remediation: It is also recommended that for purposes of verifying that
335 an individual biomass facility is securing supplies from eligible biomass feedstock sources in a proportion
336 consistent with the targets, the compliance with biomass feedstock supply mix criteria shall be
337 determined based on a 5-year rolling average. It is also recommended that CPUC staff develop a
338 process or processes that bring the biomass feedstock supply mix into conformance with the eligibility

339 requirements, if it is determined that a given facility is out of compliance. A process for facilities to alter
340 the eligible biomass feedstock mix should also be developed.
341
342
343

344

345 **References:**

346

- 347 Aber, J. and N. Christensen, I. Fernandez, J. Franklin, L. Hiding, M. Hunter, J. MacMahon, D.
348 Mladenoff, J. Pastor, D. Perry, R. Slagen and H. van Miegroet. 2000. "Applying Ecological Principles to
349 Management of U.S. National Forests", Issues in Ecology Number 6, Spring 2000, Published by the
350 Ecological Society of America.
- 351 Black and Veatch. 2013. "Draft Consultant Report Small-Scale Bioenergy: Resource Potential, Costs, and
352 Feed-In Tariff Implementation Assessment", California Public Utilities Commission.
- 353 Forest Guild, 2013. "Forest Biomass Retention and Harvesting Guidelines for the Pacific Northwest,"
354 Forest Guild Pacific Northwest Biomass Working Group, report available online at:
355 www.forestguild.org/publications/research/2013/FG_Biomass_Guidelines_PNW.pdf
- 356 Hayes, J. P., and S. S. Chan, W. H. Emmingham, J. C. Tapperier, L. D. Kellogg, J. D. Bailey. 1997. Wildlife
357 response to thinning young forests in the Pacific Northwest. *Journal of Forestry*. 95: 28-33.
- 358 Hayes, J. P., J. M. Weikel, and M. M. P. Huso. 2003. Response of birds to thinning young Douglas-fir
359 forests. *Ecological Applications*. 13:1222-1232.
- 360 Helms, J.A., editor. 1998. "The Dictionary of Forestry", The Society of American Foresters, 5400
361 Grosvenor Lane, Bethesda, MD 20814-2198, www.safnet.org, ISBN 0-939970-73-2.
- 362 Jain, T.B., M. Battaglia, H. Han, R.T. Graham, C.R. Keyes, J.S. Freid, and J.E. Sandquist, 2012. "A
363 comprehensive Guide to Fuel Management Practices for Dry Mixed Conifer Forests in the Northwestern
364 United States", United States Department of Agriculture, Forest Service, Rocky Mountain Research
365 Station, General Technical Report RMRS-GTR-292.
- 366 Naeem, S. and F.S. Chapin III, R. Costanza, P. R. Ehrlich, F. B. Golley, D. U. Hooper, J.H Lawton, R. V.
367 O'Neill, H. A. Mooney, O. E. Sala, A. J. Symstad, D. Tilman. 1999. "Biodiversity and Ecosystem
368 Functioning: Maintaining Natural Life Support Processes", Issues in Ecology, Number 4, Fall 1999,
369 Published by the Ecological Society of America.
- 370 North, M, and, P. Stine, K. O'Hara, W. Zielinski and S. Stephens. 2009. "An Ecosystem Management
371 Strategy for Sierran Mixed-Conifer Forests", United States Department of Agriculture, Forest Service,
372 Pacific Southwest Research Station, General Technical Report PSW-GTR-220.
- 373 North, M. 2012. "Managing Sierra Nevada Forests", United States Department of Agriculture, Forest
374 Service, Pacific Southwest Research Station, General Technical Report PSW-GTR-237 Johnson, K. M. and
375 J. F. Franklin. 2013. "Increasing Timber Harvest Levels on BLM O&C Lands While Maintaining
376 Environmental Values", Testimony before the Senate Committee on Energy and Natural Resources.
- 377 Public Interest Energy Research Program. 2004. "An Assessment of biomass resources in California",
378 Contract 500-01-016. http://biomass.ucdavis.edu/pages/CBC_BiomassAssessmentReport.pdf

- 379 Rupp, S.P. and L. Bies, A. Glaser, C. Kowaleski, T. McCoy, T. Rentz, S. Riffel, J. Sibbing, J. Verschuyt, T.
380 Wigley. 2012. Effects of bioenergy production on wildlife and wildlife habitat. Wildlife Society
381 Technical Review 12-03. The Wildlife Society, Bethesda, Maryland, USA.
- 382 Sethi, P. and G. Franklin. 2005. "Biomass Potentials from California Forest and Shrublands Including Fuel
383 Reduction Potentials to Lessen Wildfire Threat", California Energy Commission Consultant Report,
384 Contract:500-04-004
- 385 Spies, T.A. and J.F. Franklin. 1991. The structure of natural young, mature and old-growth Douglas-fir
386 forests in Oregon and Washington. U.S. Department of Agriculture, Forest Service, Pacific Northwest
387 Research Station, Portland, Oregon, USA.
- 388 Stewart, W., R.F. Powers, K. McGown, L. Chiono, and T. Chuang. 2011. "Potential Positive and Negative
389 Environmental Impacts of Increased Woody Biomass Use for California", California Energy Commission,
390 Public Interest Energy Research (PIER) Program, Final Project Report, CEC-500-2011-036.
- 391 United States Department of Agriculture, Forest Service, 2011. "National Report on Sustainable
392 Forests—2010", FS-979.
- 393 Verschuyt, J., S. Riffel, D. Miller, and T.B. Wigley. 2011. Biodiversity response to intensive biomass
394 production from forest thinning in North American forests - A meta-analysis. Forest Ecology and
395 Management. 261:221-232.
- 396 Zwolak, R. 2009. A meta-analysis of the effects of wildfire, clearcutting and partial harvest on the
397 abundance of North American small mammals. Forest Ecology and Management 258: 539-545.
- 398
- 399
- 400
- 401
- 402
- 403

404

405 **APPENDIX A**

406

407 **Society of American Foresters: The Dictionary of Forestry**

408 (sustainable forestry) (*SFM*) *this evolving concept has several definitions* **1.** the practice of meeting the
409 forest resource needs and values of the present without compromising the similar capability of future
410 generations — *note* sustainable forest management involves practicing a land stewardship ethic that
411 integrates the reforestation, managing, growing, nurturing, and harvesting of trees for useful products
412 with the conservation of soil, air and water quality, wildlife and fish habitat, and aesthetics (UN
413 Conference on Environment and Development, Rio De Janeiro, 1992) **2.** the stewardship and use of
414 forests and forest lands in a way, and at a rate, that maintains their biodiversity, productivity,
415 regeneration capacity, vitality, and potential to fulfill, now and in the future, relevant ecological,
416 economic, and social functions at local, national, and global levels, and that does not cause damage to
417 other ecosystems (the Ministerial Conference on the Protection of Forests in Europe, Helsinki, 1993) —
418 *note* criteria for sustainable forestry include (a) conservation of biological diversity, (b) maintenance of
419 productive capacity of forest ecosystems, (c) maintenance of forest ecosystem health and vitality, (d)
420 conservation and maintenance of soil and water resources, (e) maintenance of forest contributions to
421 global carbon cycles, (f) maintenance and enhancement of long-term multiple socioeconomic benefits to
422 meet the needs of societies, and (g) a legal, institutional, and economic framework for forest
423 conservation and sustainable management (Montréal Process, 1993) — *see* biological legacy, certify,
424 chain of custody, criteria and indicators, criterion, ecosystem management.

425 This definition last updated 10/23/2008.

426

427

428

429 **APPENDIX B**

430 United States Department of Agriculture: Forest Service: *“National Report on Sustainable Forests”*, June
431 2011 (FS-979).

432

433 **Sustainable forest management** definition:

434 The stewardship and use of forests and forest lands in such a way, and at a rate, that maintains their
435 biodiversity, productivity, regeneration capacity, and vitality, and forest’s potential
436 to fulfill, now and in the future, relevant ecological, economic, and social functions at local, national, and
437 global levels, and not cause damage to other ecosystems.

438 The criteria and indicators are intended to provide a common understanding of what is meant by
439 sustainable forest management. They provide a framework for describing, assessing, and
440 evaluating a country’s progress toward sustainability at the national level and include measures of:

441

- 442 1. Conservation of biological diversity.
- 443 2. Maintenance of productive capacity.
- 444 3. Maintenance of forest ecosystem health.
- 445 4. Conservation and maintenance of soil and water resources.
- 446 5. Maintenance of forest contribution to global carbon cycles.
- 447 6. Maintenance and enhancement of long-term multiple socioeconomic benefits to meet the
448 needs of society.
- 449 7. Legal, institutional, and economic frameworks for forest conservation.

450

451

452

453
454
455
456
457
458

APPENDIX C - 1

SB1122 Forest Biomass Forest Biomass Sustainability Byproduct Eligibility Form: Instructions and Worksheet

459
460
461
462
463
464
465

Instructions

Projects which fall into the Fuel Reduction, Fire Safe Clearance, and Infrastructure categories as defined under sustainable forest management are presumed to be eligible and are not required to fill out Appendix C-2. Projects which meet the sustainable forest management criteria, but are exempt from submitting Appendix C-2 must still meet the minimum sustainability criteria outlined in Appendix C-2. Projects conducted under “I”, “ii”, “iii” or “iv” (including exempt projects) must submit a certification form (Appendix D).

466
467
468
469
470
471

With the exception of projects types noted below, forest management activities not associated with forest biomass categories “i”, “ii”, and “iii”, referenced below, will require use of the Forest Biomass Sustainability Byproduct Eligibility Form (Appendix C-2) to determine if the biomass generated by the project is eligible, and meets the criteria of Sustainable Forest Management Practices under PUC 399.20.

472
473
474
475
476

Ranking criteria have been developed to reflect and support the broad criteria described within the above referenced definition of Sustainable Forest Management. Evaluations, completed by a Registered Professional Forester or appropriate federal officer with exceptions noted herein, must be on a project-by-project basis upon an assessment of the applicable management practices.

477
478

Eligible Forest Biomass Categories

479
480
481
482

*i. **Fire Threat Reduction** - biomass feedstock which originates from fuel reduction activities identified in a fire plan approved by CAL FIRE or other appropriate, state, local or federal agency. On federal lands this includes fuel reduction activities approved under 36 CFR 220.6(e)(6)ii and (12) thru (14).*

483
484
485
486
487
488
489

*ii. **Fire Safe Clearance Activities** - biomass feedstock originating from fuel reduction activities conducted to comply with PRC Sections 4290 and 4291. This would include biomass feedstocks from timber operations conducted in conformance with 14 CCR 1038(c) 150' Fuel Reduction Exemption, as well as projects that fall under 14 CCR 1052.4 (Emergency for Fuel Hazard Reduction), 14 CCR 1051.3-1051.7 (Modified THP for Fuel Hazard Reduction), and 14 CCR 1038(i) Forest fire Prevention Exemption, Categorical exclusions on federal lands approved under 36 CFR 220.6.(e).(6)ii.,*

490
491
492
493
494
495

*iii. **Infrastructure Clearance Projects** - biomass feedstock derived from fuel reduction activities undertaken by or on behalf of a utility or local, state or federal agency for the purposes of protecting infrastructure including but not limited to: power lines, poles, towers, substations, switch yards, material storage areas, construction camps, roads, railways, etc. This includes timber operations conducted pursuant to 14 CC1104. 1(b),(c),(d),(e),(f) &(g).*

496
497
498
499

*iv. **Other Sustainable Forest Management** – biomass feedstock derived from sustainable forest management activities that accomplish one or more of the following: 1) forest management applications that maintain biodiversity, productivity, and regeneration capacity of forests in support of ecological, economic and social needs, 2) contributes to forest restoration and ecosystem sustainability,*

500 3) reduces fire threat through removal of surface and ladder fuels to reduce the likelihood of active
501 crown fire and/or surface fire intensity that would result in excessive levels of mortality and loss of forest
502 cover or, 4) contributes to restoration of unique habitats within forested landscapes.

503

504 **The following project types meet the sustainable forest management criteria and are exempted from**
505 **submitting the Forest Biomass Sustainability Form (Appendix C-2)**

506 1) Sustainable Forest Management projects implemented on state, federal, and private
507 ownership which involve meadow restoration, restoration of wetlands, restoration of aspen
508 and other similar activities which are undertaken for restoration purposes and are subject to
509 environmental review under CEQA or NEPA.

510 2) Operations conducted pursuant to an approved Non-Industrial Timber Management Plan
511 where the plan or amendment to the plan evaluates and provides for a discussion of
512 intended biomass operations and byproducts that may have potential significant adverse
513 impacts, evaluates potential significant impacts, and mitigates potential significant impacts.

514 3) Operations conducted pursuant to an approved Timber Harvesting Plan or Modified Timber
515 Harvesting Plans on non-industrial timberland ownerships where the landowner is not
516 primarily engaged in the manufacture of wood products and where the approved plan or
517 amendment to the plan evaluates and provides for a discussion of intended biomass
518 operations and byproducts that may have potential significant impacts, evaluates potential
519 significant impacts, and mitigates potential significant impacts.

520 4) Operations with a total estimated volume of less than 250 bone dry tons.

521

522 **Section I**

523

524 **Ownership Category:** identify if the parcel on which the project is conducted is owned by a private
525 entity, the state or the Federal Government

526 **Number of Acres:** Identify how many acres are being treated / harvested by the project

527 **Type of Harvest Document (if applicable):** Identify the type of harvest document, State Permit, Federal
528 Permit or exemption that apply to this project

529 **Harvest Document Designator:** Identify the State or Federal entity that issued the harvest permit,
530 exemption or other document that applies to this project

531 **Facility Identifier:** Provide the identifier for the SB1122 (or other) forest biomass facility which will
532 receive and utilize the forest waste (biomass) to generate energy.

533

534 **Section II**

535

536 To qualify under forest biomass category “iv”, treatment activities must provide co-benefits for at least
537 12 of the 16 items identified in Appendix C-2, Section II, Items A – E. In addition, at least one item must
538 come from each of Section II A – D. A Registered Professional Forester should determine if planned
539 activities meet the sustainability criteria under section “iv”.

540

541

542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562

APPENDIX C - 2

Forest Biomass Sustainability Byproduct Eligibility Form

SECTION I

Ownership Category: Private State Federal Number of Acres: _____

Type of Harvest/NEPA Document: _____ Harvest/NEPA Document Designator: _____

Facility Identifier: _____

SECTION II

Note: Please keep responses brief (under 250 words) and focused on the basis for the determination that the project will support sustainability of the specific objective. In lieu of providing a written response or in addition to the written response, where appropriate provide source references to the approved harvest/NEPA document where discussion of potential significant adverse impacts, evaluation and mitigation measures are provided.

A. Habitat, Temporal and Spatial Diversity Objectives (Pick all that apply)

- Openings for shade intolerant species were created to promote regeneration and habitat diversity.

Please describe percent and distribution of areas in small openings less than 2.5 acres in size and planned regeneration methods:

- Multi-age, multi-species tree habitats were created at the project level.
Please describe how the project immediately post harvest will support maintenance, enhancement and/or restoration of canopy cover and maintain or increase the QMD of an overstory of multi-age, multi-species tree habitats.

- Understory vegetation was retained and distributed across the project site consistent with fire threat reduction and habitat objectives and contributes to spatial heterogeneity by varying treatments to retain untreated patches, openings and widely spaced single trees and clumps.

Please describe objectives for retention of understory shrubs and trees and estimate post-harvest areas of untreated patches and openings.

563 B. Habitat Elements: (Pick all that apply)

- Snags are retained consistent with safety, FPRs, and fire threat reduction goals.
Please describe post harvest snag retention objectives and estimate the percentage of existing snags to be removed as part of the planned forest management activities.

- Down logs with benefit to habitat diversity are retained consistent with fire threat reduction goals.
Please describe project treatment objectives for retention of existing or project related down woody material.

- Large hardwoods and Legacy trees are retained as post treatment stand components and habitat.
Please describe post harvest retention objectives for hardwoods and legacy trees.

- Management practices and harvesting associated with the project impacts are consistent with objectives of retaining or recruiting large trees at the project and landscape level.
Please describe post harvest old growth tree retention objectives:

564 C. Forest Health and Fire Management Objectives: (Pick all that apply)

- Fire threat is reduced through treatment of ladder fuels and surface fuels to achieve reduction in incidence of crown torching in overstory trees and to avoid active crown fires under most conditions.
Please describe post harvest spatial arrangement objectives for retention of understory shrubs and trees in relation to overstory trees.

- Outcomes support reintroduction of prescribed fire.
Please describe, if applicable post harvest surface and ladder fuel conditions and proposed use of prescribed fire.

- Improvement of overall forest health through reduction in overstocking in small tree sizes and reduction of competition for soil moisture with overstory trees.
Please describe:

565 D. Air and Water Quality Protection: (Pick all that apply)

- Avoided emissions by eliminating need for open burning of slash piles and/or decomposition.
Please describe the relative reduction in emissions attributable to removal of material from the project site for use as fuel for energy generation in comparison to piling and burning or piling and decomposition.:

- Measures have been incorporated to address moist microsites, and near stream habitats.
Please describe what measures will be employed to protect moist microsites and near-stream habitats.

- Soil protection measures used to minimize compaction and loss of A-horizons and soil carbon. Please describe.

- Operational plans provide for the retention of fine woody debris to minimize potential threats to soil productivity and meet fire threat reduction objectives. Please describe.

566 E. Societal and Economic Benefits: (Pick all that apply)

- Project contributes to societal benefits of local communities by way of fire safety, improved environmental health and overall quality of life. Please describe.

-
- Project contributes to local economies by way of providing additional local employment opportunities and investment.
Please describe .
-
-

567

568

569 **APPENDIX D**

570 **SB1122 Forest Biomass**
 571 **Project Eligibility Certification**

572 Ownership Category: Private State Federal Number of Acres: _____
 573 Type of Harvest/NEPA Document: _____ Harvest/NEPA Document Designator: _____
 574 Facility Identifier: _____ RPF License Number (if Applicable): _____

575
 576 **Eligible Fuel Source: (Pick one)**

577 To meet the eligible fuel sourcing criteria the owner or operator must ensure that biomass feedstock
 578 from any project is sourced from one or more of the following project types:

- 579 **Fire Threat Reduction** - biomass feedstock which originates from fuel reduction activities
 580 identified in a fire plan approved by CAL FIRE or other appropriate, state, local or federal agency,
 581 Categorical exclusions on federal lands approved under 36 CFR 220.6.(e).(6)ii.
- 582 **Fire Safe Clearance Activities**- biomass feedstock originating from fuel reduction activities
 583 conducted to comply with PRC Sections 4290 and 4291. This would include biomass feedstocks
 584 from timber operations conducted in conformance with 14 CCR 1038(c) 150’ Fuel Reduction
 585 Exemption, or Categorical exclusions on federal lands approved under 36 CFR 220.6(e)(6)ii and
 586 (12) thru (14).
- 587 **Infrastructure clearance projects**- biomass feedstock derived from fuel reduction activities
 588 undertaken by or on behalf of a utility or local, state or federal agency for the purposes of
 589 protecting infrastructure including but not limited to: power lines, poles, towers, substations,
 590 switch yards, material storage areas, construction camps, roads, railways, etc. This includes
 591 timber operations conducted pursuant to 14 CC1104.1(b),(c),(d),(e),(f) &(g).
- 592 **Other Sustainable Forest Management*** – biomass feedstock derived from sustainable forest
 593 management activities that accomplish one or more of the following: 1) forest management
 594 applications that maintain biodiversity, productivity, and regeneration capacity of forests in
 595 support of ecological, economic and social needs, 2) contributes to forest restoration and
 596 ecosystem sustainability, 3) reduces fire threat through removal of surface and ladder fuels to
 597 reduce the likelihood of active crown fire and/or surface fire intensity that would result in
 598 excessive levels of mortality and loss of forest cover or, 4) contributes to restoration of unique
 599 habitats within forested landscapes.

600
 601 **Other Fuel Sources:**

602 Eligible fuel from this category includes the following:

- 603
- 604 biomass feedstocks derived from other forest management activities that fail to meet the
 605 requirements of the checklist found in Appendix “C”.
- 606 biomass feedstocks that will be used at the facilities from “ other “ waste streams covered by SB
 607 1122

608 ***I hereby certify that the information contained in this certification is complete and accurate to the***
 609 ***best of my knowledge and conforms to State and Federal Laws,***

610
 611
 612 Print Name: _____ Signature: _____

613 As appropriate attach Forest Biomass Sustainability Byproduct Eligibility Form.

614

615 * The following project types are assumed to meet the sustainable forest management criteria and
616 are exempted from completing the Forest Biomass Sustainability Form (Appendix C-2)

- 617 1) Sustainable Forest Management projects implemented on state, federal, and private
618 ownership which involve meadow restoration, restoration of wetlands, restoration of aspen
619 and other similar activities which are undertaken for restoration purposes and are subject to
620 environmental review under CEQA or NEPA.
- 621 2) Operations conducted pursuant to an approved Non-Industrial Timber Management Plan
622 where the plan or amendment to the plan evaluates and provides for a discussion of
623 intended biomass operations and byproducts that may have potential significant adverse
624 impacts, evaluates potential significant impacts, and mitigates potential significant impacts.
- 625 3) Operations conducted pursuant to an approved Timber Harvesting Plan or Modified Timber
626 Harvesting Plans on non-industrial timberland ownerships where the landowner is not
627 primarily engaged in the manufacture of wood products and where the approved plan or
628 amendment to the plan evaluates and provides for a discussion of intended biomass
629 operations and byproducts that may have potential significant adverse impacts, evaluates
630 potential significant impacts, and mitigates potential significant impacts.
- 631 4) Operations with a total estimated volume of less than 250 bone dry tons.

632

Appendix C. Forest Health Protection Survey




Figure 3. Map of area Surveyed depicting tree mortality and other damage.



Figure 4. Severely discolored/defoliated blue oak containing some suspect mortality east of Pine Flat Reservoir.



Figure 5. Ponderosa pine and incense cedar mortality south of Shaver Lake on the Sierra National Forest.



Figure 6. Ponderosa/Jeffrey pine mortality northeast of Pine Flat Reservoir.



Figure 7. Ponderosa and gray pine mortality and discoloration south of Briceburg.



Figure 8. Ponderosa and sugar pine along with incense cedar mortality east of Mariposa on the Stanislaus National Forest.



Figure 9. Knobcone pine mortality on the western flank of Black Mtn. east of Coulterville within the Stanislaus National Forest.

Appendix D. Feedstock Specifications Example

Forest- Sourced Feedstock Specifications

(Example)

1. **Feedstock Description.** Feedstock shall be sourced from forest based operations and will include processed tree limbs, tree tops, cull logs, brush, and small diameter stems. (Paragraph 5 below lists certain excluded materials.) The Higher Heating Value (“HHV”) of the Feedstock shall be a minimum of 8,200 British Thermal Units (“Btu”) per dry pound, for each delivery. The ash content, as determined by an independent third party testing service shall not exceed two (2%) by dry weight of each delivery.

2. **Maximum Moisture Content.** The maximum moisture content for the Feedstock delivered to the facility shall be forty percent (40%) by weight. Moisture content with respect to any delivery shall be determined in accordance with ASTM specifications and procedures, or equivalent.

3. **Maximum Size.** Ninety percent (90%) or more of a delivery by volume shall be less than three (3) inches in every dimension. One hundred percent (100%) shall be less than four (4) inches in any dimension.

4. **Minimum Size. (Fines and Sawdust).** Fines and sawdust, defined as Feedstock of a size 1/4 inch or less, shall comprise no more than ten percent (10%) of gross tonnage for any individual truckload.

5. **Excluded Materials.** Feedstock shall not contain any foreign material, including, but not limited to, soil, sand, stone, metal, glass, rubber, plastics, pressure treated or lead based painted wood, chemicals, and any hazardous or toxic substances as defined under California or federal law.

6. **Consistent with SB 1122 Guidelines.** All forest feedstock will be sourced as byproducts of sustainable forest management (per Senate Bill 1122 guidelines).